

MDR-67-2 Product Details



MDR-67-2
(9-1393139-2)

TE Internal Number: 9-1393139-2

Active

Rotary Relays

[Not EU RoHS or ELV Compliant](#)

Product Highlights:

- Contact Arrangement = 4 Form C, 4PDT, 4 C/O
- AC Actuating System
- Input Voltage = 115 VAC
- Coil Current = .150 Amps.
- Coil Resistance = 210 ?

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> • None Available <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files:</p> <ul style="list-style-type: none"> • None Available 	<p>Additional Information:</p> <ul style="list-style-type: none"> • Product Line Information <p>Additional Product Images:</p> <ul style="list-style-type: none"> • Dimensional Drawing <p>Related Products:</p> <ul style="list-style-type: none"> • Tooling

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> • Comment = Small <p>Electrical Characteristics:</p> <ul style="list-style-type: none"> • Actuating System = AC • Input Voltage (VAC) = 115 • Coil Current (Amps.) = 0.150 • Coil Resistance (?) = 210 • Coil Power, Nominal (W) = 5.50 • Breakdown Volts RMS (V) = 1230 <p>Termination Related Features:</p> <ul style="list-style-type: none"> • Base Dimensions (mm [in]) = 66.68 x 66.68 [2.625 x 2.625] • Height (mm [in]) = 79.50 [3.130] 	<p>Configuration Related Features:</p> <ul style="list-style-type: none"> • Contact Arrangement = 4 Form C, 4PDT, 4 C/O • Coil Magnetic System = Latching <p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = Not ELV/RoHS compliant • Lead Free Solder Processes = Not suitable for lead free processing <p>Conditions for Usage:</p> <ul style="list-style-type: none"> • Temperature Range (?C) = 0 - 65 <p>Other:</p> <ul style="list-style-type: none"> • Brand = Potter & Brumfield

Corporate Information

- [Who We Are](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)

Quick Links

- [Check Distributor Inventory](#)
- [Cross Reference](#)
- [Find Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat with Us](#)
- [Find a Phone Number](#)
- [Search Knowledge Base](#)
- [Manage Your Account](#)