
KEMET Part Number: PHE850EA4330MA02R17

(F850AH332M300A)



Capacitor, Film, Metallized Polypropylene, 3300 pF, +/-20% Tol, -55/+110C, Safety: Y2, 300 VAC, Lead Spacing=10 mm, Not For New Design, Please Check Possible Alternative Parts (AltPart)



Supplier:	KEMET
Dielectric:	Metallized Polypropylene
	71 17
Application:	Safety: Y2
Style:	Radial Box
Lead Form:	Wire Leads
Features:	Pulse
Approvals:	ENEC,UL,cUL
RoHS:	Yes

General Information

Dimensions (mm)			
Symbol	Dimension	Tolerance	
L	13	MAX	
Н	10.5	MAX	
Т	4.5	MAX	
S	10	+/-0.4	
LL	17	NOM	
F	0.6	NOM	

Specifications		
Capacitance:	3300 pF	
Voltage:	1250 VDC	
Tolerance:	+/-20%	
Voltage AC:	300 VAC	
Rated Temperature:	110C	
Temperature Range:	-55/+110C	
Dissipation Factor @ 1 kHz:	0.15%	
Dissipation Factor @ 10 kHz:	0.2%	
Dissipation Factor @ 100kHz:	0.6%	
Insulation Resistance:	30 GOhm	
Maximum dVdT:	100 v/us	
Miscellaneous:	Not For New Design, Please Check Possible Alternative Parts (AltPart)	

Packaging Specifications	
Package Kind:	Bulk
Package Quantity:	1000

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

