

Molex.com

English  
日本語  
한국어  
简体中文

Register | Login  
My Parts ( 0 items )

Product Name

Cross-Ref

Catalog

Literature

Industries

Standards

Contact Us

About Us

Investors

Careers

Search site:Search:  [Go](#)

Connectors

Sockets

I/O Connectors

Cable Assemblies

Fiber Optics

Printed Circuit Products

Industrial Products

Lighting Products

Switch Language

English

[Home](#)  
[Crimp Housings](#)  
[Datasheet](#)

Need Assistance?

Contact Us  
Find a Distributor  
Order Samples  
Tech Library  
Ecocare  
Electrical Models

Printer-friendly page

Email this page

Part Number:

0009508041

Status:

Active

Overview:

KK®

Description:

3.96mm (.156") Pitch KK® Crimp Terminal Housing, Friction Ramp, 4 Circuits


Documents:

Note - Please disable browser pop-up blockers for documents on www.molex.com

[Drawing \(PDF\)](#)

[Product Specification PS-08-50 \(PDF\)](#)

[3D](#)



**EU RoHS**  
ELV and RoHS  
Compliant

**REACH SVHC**  
Contains SVHC: No

**Halogen-Free**  
Status  
Not Halogen-Free



Need more information on product environmental compliance?

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[41695](#)Series

Use With

KK® Crimp Terminal [2478](#), [2578](#), [8818](#)  
Trifurcon™ Crimp Terminal [7258](#),  
[6438](#), [6838](#)

[Model](#)

[Packag](#)

Order Products:

Part Detail: [\(show all\)](#)

[General](#)[Physical](#)[Agency Certification](#)[Material Info](#)[Reference - Drawing Numbers](#)

General

Product Family	Crimp Housings
Series	<a href="#">41695</a>
Comments	Glow Wire Equivalent Part Number <a href="#">416952002</a>
Overview	<a href="#">KK®</a>
Product Name	KK®

Physical

Breakaway	No
Circuits (maximum)	4
Color - Resin	Natural
Flammability	94V-0
Gender	Female
Glow-Wire Compliant	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Polyester
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.156 In
Pitch - Mating Interface (mm)	3.96 mm
Temperature Range - Operating	0°C to +75°C

Agency Certification

CSA	LR19980
UL	E29179

Material Info

Old Part Number	41695-N-B04
-----------------	-------------

Reference - Drawing Numbers

Product Specification	PS-08-50
Sales Drawing	SD-41695