

[Molex.com](#)

English  
日本語  
한국어  
简体中文

[Register | Login](#)  
[My Parts \( 0 items \)](#)

Search site:Search:  [Go](#)

- Product Name**
- Cross-Ref**
- Catalog**
- Literature**
- Industries**
- Standards**
- Contact Us**
- About Us**
- Investors**
- Careers**

- [Connectors](#)
- [Sockets](#)
- [I/O Connectors](#)
- [Cable Assemblies](#)
- [Fiber Optics](#)
- [Printed Circuit Products](#)
- [Industrial Products](#)
- [Lighting Products](#)

**Switch Language**

- [Home](#)
- [Crimp Terminals](#)
- [Datasheet](#)

**Need Assistance?**

- [Contact Us](#)
- [Find a Distributor](#)
- [Order Samples](#)
- [Tech Library](#)
- [Ecocare](#)
- [Electrical Models](#)

[Printer-friendly page](#)

[Email this page](#)

**Part Number:**

**0039000061**

**Status:**

**Active**


**Description:**

4.20mm (.165") Pitch Mini-Fit™ Crimp Terminal, Male, Phosphor Bronze, Tin (Sn), 18-24 AWG, Reel

**Documents:** *Note - Please disable browser pop-up blockers for documents on www.molex.com*

[Drawing \(PDF\)](#)

[Product Specification PS-51010-003 \(PDF\)](#)



**EU RoHS**  
ELV and RoHS  
Compliant

**REACH SVHC**  
Contains SVHC: No

**Halogen-Free**  
Status  
Halogen-Free

**China RoHS**



**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[5558](#)Series

**Mates With**

[5556](#) Mini-Fit™ Crimp Terminal

**Use With**

[5559](#) Mini-Fit Jr.™ Plug Housing,  
[30068](#) Mini-Fit TPA™ Plug Housing,  
[42475](#) Mini-Fit BMI™ Plug Housing

**Application Tooling | [FAQ](#)**

Tooling specifications and manuals are found by selecting the products below . Crimp Height Specifications are then contained in the Application Tooling Specification document.

**Global**

Description	Product #
T2 Terminator Tooling Die	<a href="#">0639102900</a>
Hand Crimp Tool for Mini-Fit™ Jr. Male and Female Crimp Terminals, 16-24 AWG	<a href="#">0638190900</a>
FineAdjust™ Applicator for Mini-Fit Jr.™, Mini-Fit HCS™ Crimp Terminals, 18-24 AWG and smaller insulation	<a href="#">0639015600</a>
Extraction Tool	<a href="#">0011030044</a>
FineAdjust™ Applicator	<a href="#">0639002600</a>
FineAdjust™ Applicator, Small Insulation	<a href="#">0639002900</a>
T2 Terminator Die	<a href="#">0639102600</a>
<b>Crimp Quality Equipment</b>	
Molex also offers wire strippers, pull testers, shut-height gauges, micro-meters and more	
<a href="#">Click here for details</a>	

[Product Specification PS-51010-004 \(PDF\)](#)

**Order Products:**

**Part Detail:** [\(show all\)](#)

[General](#)[Physical](#)[Electrical](#)[Material Info](#)[Reference - Drawing Numbers](#)

**General**

Product Family	Crimp Terminals
Series	<a href="#">5558</a>
Product Name	Mini-Fit®

**Physical**

Durability (mating cycles max)	30
Gender	Male
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Packaging Type	Reel
Plating min: Mating (µin)	36
Plating min: Mating (µm)	0.90
Plating min: Termination (µin)	36
Plating min: Termination (µm)	0.90
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.30-3.10mm (.051-.122")
Wire Size AWG	18, 20, 22, 24
Wire Size mm <sup>2</sup>	N/A

**Electrical**(Please review the Product Specification for specific details.)

Current - Maximum per Contact	9A
Voltage - Maximum	600V

**Material Info**

Old Part Number	5558PBT
-----------------	---------

**Reference - Drawing Numbers**

Product Specification	PS-51010-003, PS-51010-004, PS-5556-001, PS-5556-002, PS-5556-003, RPS-51010-013, RPS-5557-034, RPS-5557-035
Sales Drawing	SD-5558****