



BNC CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

BNC Ins LP PCB Skt 50Ohm White

PCF , SKT

1-1337542-0

TE Internal Number: 1-1337542-0

Always EU RoHS/ELV Compliant

Applies To **Printed Circuit Board**

Panel Mount Retention **With**

Panel Mount Retention Type **Bulkhead, Hex Nut**

PCB Mount Retention **With**

PCB Termination Method **Solder Tail (Pin)**

Product Drawings

[BNC LOW PROFILE R/A INSULATED PCB SOCKET 50 OHM WHITE](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[ZDC_RF_COAX_CONNECTOR_SERIES_50&75_OHM](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_1-1337542-0_011120162226_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To

Printed Circuit Board

Sealed

No

RF Connector Type

ZDC/BNC

RF Connector Type	4DC/DNC
Connector Style	Jack
PCB Mounting Orientation	Right Angle
Dielectric Material	PE-606
Isolated Ground	Yes
Grade	Commercial
Product Type	Connector - RF

Configuration Features	Panel Cutout	12 x 12.9mm D-Shape
	Number of Ports	1

Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50

Body Features	Body Material	Die Cast Zinc
	Body Plating Material	Nickel
	Body Style	Elbow
	Body Insulation	With
	Color	White

Contact Features	Center Contact Material	Brass
	Center Contact Plating Material	Gold

Termination Features	PCB Termination Method	Solder Tail (Pin)
----------------------	------------------------	--------------------------

Mechanical Attachment	Panel Mount Retention	With
	Panel Mount Retention Type	Bulkhead, Hex Nut
	PCB Mount Retention	With
	Flange and Thread Material Color	White
	Flange and Thread Material	PBT Polyester
	Mounting Post Length	3.7 mm [.146 in]
	Panel Attachment Style	Rear Mount
	Polarized	No
	Mounting Post Style	Round
	Hardware Included	No

Dimensions	Panel Thickness	1.5 – 5.5 mm [.059 – .217 in]
	PCB Thickness (Recommended)	3.3 mm [.13 in]
	Height above PCB	13.16 mm [.518 in]
	PCB Tail Length	4.3 mm [.169 in]

Packaging Features	Packaging Method	Box
--------------------	------------------	------------

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)