**Customer Support** 

**Live Product Chat** 

Check Pricing & Availability

Contact Us About This Product

**Quick Links** 

Search for Tooling Product Feature Selector



**Products** 

Our commitment. Your advantage.

**My Account** 


Search

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Resistors</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

Resources

# SQMR533KJ Product Details

**Documentation** 



SQMR533KJ (1-1623782-1)

TE Internal Number: 1-1623782-1



#### **Fixed Resistors**

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

### **Product Highlights:**

- Resistor Type = Power Resistor
- Resistance Selection = K?
- Resistance = 33K?
- Power Rating = 5.00 W
- Tolerance = 5 %

View all Features









#### **Documentation & Additional Information**

### **Product Drawings:**

None Available

#### Catalog Pages/Data Sheets:

• High Power Resistors - Type SQ Series - Tyco Electro... (PDF, English)

### **Product Specifications:**

None Available

## **Application Specifications:**

None Available

### **Instruction Sheets:**

• None Available

## **CAD Files:**

None Available

## **Additional Information:**

• Product Line Information

#### **Related Products:**

• Tooling

List all Documents

## Product Features (Please use the Product Drawing for all design activity)

### **Product Type Features:**

- Resistor Type = Power Resistor
- Resistance (?) = 33K
- Element = Metal Oxide
- <u>Termination Type</u> = Tinned Copper Leads

## **Electrical Characteristics:**

- Resistance Selection (?) = K
- Power Rating (W) = 5.00
- Tolerance (%) = 5
- Package Type = Loose Piece Box

## **Body Related Features:**

- <u>Series</u> = SQ
- Mount Style = Radial Leaded
- Package, Component Size = 13 x 25 x 9

## **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240?C, Wave solder capable to 260?C, Wave solder capable to 265?C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

### **Conditions for Usage:**

• Temperature Coefficient (ppm/?C) = ?300

## Operation/Application:

• Application = Power

## Other:

• Brand = CGS