Customer Support

Search

Products

Our commitment. Your advantage.

My Account

Documentation

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Passive Components</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

3613C5R6K Product Details



Quick Links

Check Pricing & Availability Search for Tooling <u>Product Feature Selector</u> Contact Us About This Product



3613C5R6K (1-1624094-9)

TE Internal Number: 1-1624094-9



Inductors

Resources

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Inductor
- Inductor Type = Molded Wirewound
- Lead Type = Surface Mount Terminals
- Wirewound
- Inductance = 5.6 ?H

View all Features



Documentation & Additional Information

Product Drawings:

• MOULDED CHIP INDUCTOR 18:12 SERIES 3613C (PDF, English)

Catalog Pages/Data Sheets:

Moulded Chip Inductor 18:12 - Type 3613C Series - Ty... (PDF, English)

Product Specifications:

• None Available

Application Specifications:

None Available

Instruction Sheets:

None Available

CAD Files:

None Available

Additional Information:

• Product Line Information

Related Products:

Tooling

<u>List all Documents</u>

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- <u>Product Type</u> = Inductor
- Inductor Type = Molded Wirewound
- <u>Element</u> = Wirewound
- Shielded = No

Electrical Characteristics:

- <u>Inductance (?H)</u> = 5.6
- <u>DC Resistance (?)</u> = 1.1
- <u>Current, Maximum (mA)</u> = 300
- Quality Factor = 50
- Package Type = Taped and Reeled
- Tolerance (%) = 10

Body Related Features:

- <u>Lead Type</u> = Surface Mount Terminals
- <u>Series</u> = 3613
- Packaging Style = 1812
- Package, Component Size = 4.5 x 3.2
- Mount Style = Surface Mount

Industry Standards:

- <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Reflow solder capable to 245?C, Reflow solder capable to 260?C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Operation/Application:

Application = Standard

Other:

• Brand = Sigma Inductors