



TE CONNECTIVITY (TE)
USB Conn.,RCPT.,FLAG,R/A,DIP, TAIL3.30mm
[Universal Serial Bus | A](#)

1-1734775-1
TE Internal Number: 1-1734775-1

Always EU RoHS/ELV Compliant

Size **Standard**

Connector Style **Receptacle**

Number of Positions **4**

Number of Ports **1**

Orientation **Flag**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

[USB CONNECTOR, RECEPTACLE, FLAG, R/A, DIP, A TYPE](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Product Environmental Compliance

TE Material Declaration

[MD_1-1734775-1_1120201592_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Size	Standard
Connector Style	Receptacle
Orientation	Flag
LED	Without
Product Type	Connector

Applies To

Printed Circuit Board

Configuration Features

Number of Positions

4

Number of Ports

1

Panel Ground

Without

Body Features

Shell Plating Material

Nickel over Copper

Contact Features

Contact Mating Area Plating Thickness (µm)

.762

Contact Mating Area Plating Material

Gold Flash over Palladium Nickel

Termination Features

Termination Method

Solder

Contact Termination Type

Through Hole

Mechanical Attachment

Mounting Location

Top

Locking Feature

Without

Locating Posts

Without

PCB Mount Retention Type

Kinked Legs

Housing Features

Housing Material

PBT

Housing Color

Black

Dimensions

Tail Length

3.3 mm [.13 in]

PCB Thickness (Recommended)

1.6 mm [.063 in]

Operation/Application

Pick and Place

None

Industrial USB Connector

No

Industry Standards

Industry Standard

USB 2.0

Packaging Features

Packaging Method

Tray, Tray/Box

Packaging Quantity

100

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

