+ CONNECTORS

RJ22 CONNECTORS

TE CONNECTIVITY (TE)

4P.INV.MOD.JACK,PCB

Mini PCI , Multi IO

1-338084-3
TE Internal Number: 1-338084-3

Converted to EU RoHS/ELV Compliant

Port Configuration **Single**

Jack Configuration **1 x 1**

Connector Style **Jack**

Inverted Jack Face **No**

Profile **Standard**

✔ Active

⬇ **PRODUCT DRAWING**
English

⬇ **3D PDF**

Product Drawings	**INVERTIBLE MODULAR JACK, 4 POSITION HANDSET SURFACE MOUNT APPLICATION** PDF **English**
CAD Files	**3D PDF** PDF **3D** **Customer View Model** 2D_DXF.ZIP **English** **Customer View Model** 3D_IGS.ZIP **English** **Customer View Model** 3D_STP.ZIP **English**
Catalog Pages/Data Sheets	**1-1773464-9_MODULAR_JACKS_SINGLE_PORT_PCB_MOUNT** PDF **English**

Product Environmental Compliance

TE Material Declaration	**MD_1-338084-3_012220151035_dmtec** PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Features	Connector Style	**Jack**
	Profile	**Standard**

	PCB Mounting Orientation	**Top Entry (Vertical)**
	Shielded	**No**
	Panel Stops	**Without**
	Product Type	**Connector**

Configuration Features	Port Configuration	**Single**
	Jack Configuration	**1 x 1**
	Keyed	**No**

Body Features	Inverted Jack Face	**No**
	Color	**Black**

Contact Features	Solder Tail Contact Plating Material	**Tin over Nickel**
	Contact Base Material	**Phosphor Bronze**
	Number of Contacts Loaded	**4**
	Contact Mating Area Plating Material	**Gold or Gold Flash over Palladium Nickel**

Mechanical Attachment	PCB Mounting Style	**Surface Mount**
	Panel Mount Retention	**Without**
	Flanged	**No**

Housing Features	Housing Material	**PA 9T GF**

Dimensions	PCB Thickness (Recommended)	**1.57 mm [.062 in]**
	Height	**12.7 mm [.5 in]**

Industry Standards	UL Flammability Rating	**UL 94V-0**

Packaging Features	Packaging Quantity	**300**
	Packaging Method	**Reel, Tape Mounted on Reel**

Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

RIBBON CABLE CONNECTORS | STANDARD POWER RELAYS | RJ25 CONNECTORS | RJ45 CONNECTORS

MICRO-MATCH FSID P
9-215460-0

RT174006
RT174006

6/6 INV.MOD JACK
1-338086-3

8/8 INV.MOD.JACK
1-338088-3

Save to List

Save to List

Save to List

Save to List

Find Similar Products

Find Similar Products

Find Similar Products

Find Similar Products