

# RECTANGULAR POWER CONNECTORS

# 

TE CONNECTIVITY (TE) 02P CMNL PLUG HSG F/H NATL MATE-N-LOK | Commercial MATE-N-LOK

1-480318-0 TE Internal Number: 1-480318-0

Alias ID: A77825-000, AMP-1-0480318-0

Always EU RoHS/ELV Compliant

✓ Active



PLUG, 2 CIRCUIT, COMMERCIAL MATE-N-LOK (TM) **Product Drawings** PDF **English** CAD Files **Customer View Model** 3D\_IGS.ZIP English **Customer View Model** 3D\_STP.ZIP English **Customer View Model** 2D\_DXF.ZIP English 3D PDF PDF 3D SOFT\_SHELL\_PIN\_SOCKET\_CONNECTORS\_STANDARD\_DENSITY Catalog Pages/Data Sheets PDF **English Product Specifications** Application Specification MATE-N-LOK Commercial Pin And Socket Contacts PDF **Japanese** MATE-N-LOK Commercial Pin And Socket Contacts TIF Japanese Commercial MATE-N-LOK Pin And Socket Contacts PDF **English** 

Product Environmental Compliance

MD\_1-480318-0\_03312015134\_dmtec PDF English

# 9 🖬 f 🔻

# Instruction Sheets

Instruction Sheet (U.S.)

### Dentent-Engagement MATE-N-LOK Connectors PDF English

Universal, Commercial, And .140 MATE-N-LOK Contact And Housing Selection Charts PDF English

Please review product documents or **contact us** for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Detailed product features are not currently available online.


Product Compliance

Statement of Compliance PDF

VIEW ALL PRODUCT COMPLIANCE

# CUSTOMERS ALSO BOUGHT

| RECTANGULAR POWER<br>CONNECTORS    | POWER CONTACTS   | POWER CONTACTS   | POWER CONTACTS   |   |
|------------------------------------|--|--|--|---|
|                                    | and the second sec | and the second sec | and the second s |   |
| )2P CMNL CAP HSG NATL<br>-480319-0 | CMNL SOK SNBR L/P<br>60617-1   | CMNL SOK PTPBR L/P<br>60619-1  | CMNL SOK 20-14 TPBR<br>61117-1   | > |
| Save to List                       | <ul><li>Save to List</li><li>Find Similar Products</li></ul>   | Save to List   | Save to List   |   |





TE INTERNAL NUMBER: 163307-4

✓ Active

Contact Current Rating **15 A** Operating Voltage **250 VAC** Wire/Cable Size **1 – 2.5 mm<sup>2</sup>, 13 – 17 mm<sup>2</sup>** Contact Type **Pin** 

### RELATIONSHIP

### Contacts

Identifies Contacts compatible with a given Housing

### See All Contacts

See All Contacts



Wire/Cable Size .5 – 2.27 mm<sup>2</sup>

### RELATIONSHIP

**Contacts** Identifies Contacts compatible with a given Housing



## PRODUCT - CONTACTS

# Connectors - Power Contacts MATE-N-LOK I Commercial MATE-N-LOK CMNL PIN 20-14 TPPHBZ - 61118-4 TE INTERNAL NUMBER: 61118-4

✓ Active

### Always EU RoHS/ELV Compliant

Product Type **Contact** Contact Current Rating **15 A** Operating Voltage **250 VAC** Wire/Cable Size **20 – 14 AWG** Wire/Cable Size **.5 – 2 mm**<sup>2</sup>