




BOARD-TO-BOARD HEADERS & RECEPTACLES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

1FHR,64,50A/S,N,C,S08,09,10

1.0mm FH | 1mm FH

1-5120528-1

TE Internal Number: 1-5120528-1

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Centerline **.63 mm [1 in]**

Stack Height (mm) **8, 9, 10**

Stack Height (in) **.394**

Number of Positions **64**

Packaging Method **Tape & Reel**

Product Drawings

[RCPT ASSY,W/COVER,1.0mmFH\(IEEE1386\) CONNECTOR](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[Fine Pitch Stacking Connectors - 1.0mm Free Height \(FH\) \(IEEE 1386\) Connectors](#)

PDF
English

[Solutions For AdvancedTCA, AdvancedTCA 300, MicroTCA, And AdvancedMC Standards Datasheet 3-1773445-8](#)

PDF
English

Product Specifications

Product Specification

[1.0 Mm Mezzanine Connectors](#)

PDF
English

Application Specification

[1.0 Mm Free Height \(FH\) Plug And Receptacle Connectors Using Surface Mount Technology \(SMT\)](#)

PDF
English

Product Type Features	Connector Style	Receptacle
	Board-to-Board Configuration	Mezzanine
	PCB Mounting Orientation	Vertical
	Boss	With
	Connector System	Board-to-Board
	Connector Type	Connector Assembly
	Row-to-Row Spacing (mm)	1
	Applies To	Printed Circuit Board
	Product Type	Connector
Series	1mm FH	

Configuration Features	Number of Positions	64
	Number of Columns	32
	Stackable	Yes
	Number of Rows	2
	Solder Tail Orientation	Inline

Electrical Characteristics	Voltage (VAC)	250
----------------------------	---------------	------------

Signal Characteristics	Differential Signaling	Yes
------------------------	------------------------	------------

Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness	1.27 μm [50 μin]
	Contact Shape	Square
	Contact Termination Area Plating Thickness	3.81 μm [150 μin]
	Contact Current Rating (A)	1
	Contact Configuration	Single Beam
	Solder Tail Contact Plating Material	Tin over Nickel
	Underplate Material Thickness	1.27 μm [50 μin]
	Solder Tail Contact Plating Thickness	3.81 μm [150 μin]
	Underplate Material	Nickel
	Contact Transmits (Typical)	Signal (Data)
	Contact Type	Socket
	Contact Termination Area Plating Material	Tin
	Contact Layout	Inline

	Contact Base Material	Phosphor Bronze
	Contact Termination Area Plating Material Finish	Matte
Termination Features	Termination Method to PC Board	Surface Mount
Mechanical Attachment	Mating Alignment	Without
	Mating Alignment Type	Polarizing Tab
	PCB Mount Retention	Without
	PCB Mount Retention Type	None
	PCB Mount Alignment	Without
	PCB Mount Alignment Type	Locating Posts
	Mating Retention	Without
Housing Features	Centerline	.63 mm [1 in]
	Housing Color	Black
	Housing Material	Thermoplastic
	Housing Entry Style	Top
Dimensions	Stack Height (mm)	8, 9, 10
	Stack Height (in)	.394
	Width	6.04 mm [.238 in]
	Length	34.22 mm [1.347 in]
	Tail Length	2.05 mm [.081 in]
	Height	5.37 mm [.211 in]
Usage Conditions	Operating Temperature Range	-55 – 110 °C [-67 – 230 °F]
Operation/Application	Pick and Place Cover	With
	For Use With	Plug Assembly
Industry Standards	Agency/Standard	CSA, UL
	UL File Number	E28476
	Industry Standard	IEEE 1386 Mezzanine Connector
	CSA Certified	Yes
	UL Rating	Listed
	UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method

Tape & Reel

Packaging Quantity





650

Product Compliance

[Statement of Compliance PDF](#)

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

BOARD-TO-BOARD HEADERS & RECEPTACLES	PCB D-SUB CONNECTORS	SURFACE MOUNT RESISTORS	BOX MOUNT D-SUB CONNECTORS
			
1FHR, 64, 30A/S, N, C, S08, 09, 10 5120528-1	37 RCPT SP/MS CNUT 747315-1	RP 1J 0.166W 68K1 0.1% 25PPM 1K RL RP73PF1J68K1BTDF	AMPLIMITE, RCPT ASY, POSTD, 109, ZN, 5 1757828-5
Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products

Products - 9 Results

[View All](#)

[Compare 0/10](#)


Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS	<input checked="" type="checkbox"/>
 <p>Connectors - Board-to-Board Headers & Receptacles 1.0mm FH 1mm FH 1FHP, 64, 50A/S, S, N, S10, 12, 13, 15 - 1-5120527-1 TE INTERNAL NUMBER: 1-5120527-1</p> <p>✓ Active</p>	<p>Always EU RoHS/ELV Compliant</p> <p>Connector Style Plug</p> <p>Centerline .63 mm</p> <p>Stack Height 9 mm, 11 mm, 14 mm</p> <p>Number of Positions 64</p> <p>Packaging Method Tape & Reel</p>

RELATIONSHIP

Mating Products



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles

1.0mm FH | 1mm FH

1FHP, 64, 50A/S, S, N,

S08 - 1-5120525-1

TE INTERNAL NUMBER: 1-5120525-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.63 mm**

Stack Height **9 mm, 11 mm, 14 mm**

Number of Positions **64**

Packaging Method **Tape & Reel**



RELATIONSHIP

Mating Products

Used to identify Mating Parts



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles

1.0mm FH | 1mm FH

1FHP, 64, 50A/S, S, C,

S08 - 1-5146897-1

TE INTERNAL NUMBER: 1-5146897-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.63 mm**

Stack Height **9 mm, 11 mm, 14 mm**

Number of Positions **64**

Packaging Method **Tape & Reel**

