## **BOARD-TO-BOARD JUMPERS & SHUNTS**



✓ Active

<u>±</u>

PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)
AMP SHUNT ASS'Y

AMPMODU | AM

1-881545-2

TE Internal Number: 1-881545-2

Always EU RoHS/ELV Compliant

Shunt Type **Novo** 

Shunt Style Open Top

Centerline 2.54 mm [.1 in]

Number of Positions 2



**Product Drawings** 

Shunt Low Profile Connector Assy

PDF **English** 

**CAD Files** 

3D PDF

PDF **English** 

Customer View Model

2D\_DXF.ZIP English

**Customer View Model** 

3D\_IGS.ZIP **English** 

**Customer View Model** 

3D\_STP.ZIP **English** 

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Profile <b>Low</b>	
	Product Type	Shunt
Configuration Features	Number of Positions	2
Electrical Characteristics	Termination Resistance (m $\Omega$ )	15
Body Features	Handle	With
Contact Features	Shunt Type	Novo
	Shunt Style	Open Top
	Contact Current Rating (A)	3
	Contact Base Material	Phosphor Bronze
	Contact Mating Area Plating Thickness	.762 μm [ 30 μin ]
	Contact Mating Area Plating Material	Gold
Housing Features	Centerline	2.54 mm [ .1 in ]
	Housing Material	Thermoplastic
	Housing Color	Black
Dimensions	Height	5.8 mm [ .228 in ]
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Bag
	Packaging Quantity	14000
Product Compliance	Statement of Compliance	



VIEW ALL PRODUCT COMPLIANCE