



HIGH SPEED CONNECTORS



TE CONNECTIVITY (TE)

MULTIGIG RT T2 7RW H-LFT,ET2

MULTIGIG RT | RT 2

1410189-3

TE Internal Number: 1410189-3

Not EU RoHS or ELV Compliant

[Find Compliant Alternatives](#)

Number of Positions **56**

Row-to-Row Spacing **.053 mm [1.35 in]**

Contact Current Rating (A) **1**

Mating Alignment **With**

Mating Alignment Type **Polarization**

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

Product Drawings

[RIGHT-ANGLE PLUG ASSEMBLY, 7 ROW HALF LEFT END, 20.3mm, MultiGig RT2,](#)

PDF
English

CAD Files

[3D PDF](#)

PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[High Speed Backplane Connectors Catalog - MULTIGIG RT Connector](#)

PDF
English

Product Specifications

Product Specification

[MULTIGIG RT* Signal Connectors, Tiers 1 And 2, And RT2 Mezzanine](#)

PDF
English

Application Specification

[MULTIGIG RT, RT2, And RT2-R Signal Connectors](#)

PDF
English

Qualification Test Report

[MULTIGIG RT* Signal Connectors, Tiers 1 And 2, And RT2 Mezzanine](#)

PDF
English

Electrical Performance Report

[MULTIGIG RT 2 And MULTIGIG RT 2-R High-Speed Differential Connector--VPX \(VITA 46\)](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_1410189-3_070820122213](#)

PDF

Instruction Sheets

Instruction Sheet (U.S.)

Removing MULTIGIG RT Right-Angle Module From Daughter Card Printed Circuit (PC) Board

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Row-to-Row Spacing	.053 mm [1.35 in]
	Connector System	Board-to-Board
	Connector Style	Plug
	Board-to-Board Configuration	Right Angle
	PCB Mounting Orientation	Right Angle
	Shrouded	Fully Shrouded
	Applies To	Printed Circuit Board

Configuration Features	Number of Positions	56
	Number of Rows	7
	Number of Columns	8
	Guide Location	Left

Contact Features	Contact Current Rating (A)	1
------------------	----------------------------	----------

Mechanical Attachment	Mating Alignment	With
	Mating Alignment Type	Polarization

Housing Features	Centerline	.071 mm [1.8 in]
------------------	------------	---------------------------

Dimensions	Card Slot Centerline	20.3 mm [.8 in]
------------	----------------------	--------------------------

Product Compliance [Statement of Compliance](#)

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)


CUSTOMERS ALSO BOUGHT

HIGH SPEED BACKPLANE CONNECTORS

BACKPLANE GUIDE HARDWARE

HIGH SPEED BACKPLANE CONNECTORS

BACKPLANE POWER CONNECTORS



Products - 2 Results

[View All](#)

[Compare 0/10](#)

Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS ✓

Connectors - High Speed Connectors
MULTIGIG RT | RT 2

**MULTIGIG RT T2 .8" BP
H-LFT - 1410186-1**

TE INTERNAL NUMBER: 1410186-1

✓ Active

Not EU RoHS or ELV Compliant

Number of Positions **72**

Row-to-Row Spacing **.071 mm**

Contact Current Rating **1 A**

Mating Alignment **With**

Mating Alignment Type

Polarization

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS ✓

Connectors - Rack & Panel Connectors
MULTIGIG RT | MULTIGIG RT 2, RT

**MULTIGIG RT T2 .8" BP
HALF LEFT - 1410186-2**

TE INTERNAL NUMBER: 1410186-2

✓ Active

Always EU RoHS/ELV Compliant