

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
FT	0	K15	REVISED PER ECO-09-016765	30JUL09	HMR CR

PHYSICAL PROPERTIES:  
 HOUSING MATERIAL: THERMOPLASTIC, PC  
 FLAMABILITY: UL94V-0  
 COLOR: BLACK



TERMINAL:  
 TERMINALS: BRASS, TIN PLATED  
 SCREWS: 6-32 STEEL, NICKEL PLATED

MECHANICAL:  
 PITCH: .437  
 WIRE RANGE: 14-22 AWG  
 RECOMMENDED TIGHTENING TORQUE: 12IN-LB

ELECTRICAL PROPERTIES:  
 MAX CURRENT: 25A  
 OPERATING VOLTAGE: 300V

ENVIRONMENTAL PROPERTIES:  
 OPERATING TEMP: -40°C TO 120°C

- ① SEE FIGURE.
- ② PRELIMINARY PART NUMBER.
- ③ STAINLESS STEEL SCREWS.
- ④ WHITE INK STAMP.




②	5.681	5.992	12	4-1546670-2
②	9.177	9.488	20	2-1546670-0
②	8.740	9.051	19	1-1546670-9
②	8.303	8.614	18	3-1546670-0
②	8.303	8.614	18	1-1546670-8
②	7.866	8.177	17	1-1546670-7
②	7.429	7.740	16	1-1546670-6
②	6.992	7.303	15	1-1546670-5
②	6.555	6.866	14	1-1546670-4
②	6.118	6.429	13	1-1546670-3
②	5.681	5.992	12	1-1546670-2
②	5.244	5.555	11	1-1546670-1
④	4.807	5.118	10	4-1546670-3
②	4.807	5.118	10	3-1546670-8
②	4.807	5.118	10	1-1546670-0
②	4.370	4.681	9	3-1546670-5
②	4.370	4.681	9	3-1546670-2
②	4.370	4.681	9	1546670-9
①	3.933	4.244	8	4-1546670-1
③	3.933	4.244	8	3-1546670-6
②	3.933	4.244	8	3-1546670-4
②	3.933	4.244	8	3-1546670-3
②	3.933	4.244	8	1546670-8
②	3.496	3.807	7	1546670-7
①	3.059	3.370	6	3-1546670-1
①	3.059	3.370	6	1546670-6
①	2.622	2.933	5	2-1546670-8
①	2.622	2.933	5	2-1546670-7
②	2.622	2.933	5	1546670-5
②	2.622	2.933	4	3-1546670-9
①	2.185	2.496	4	2-1546670-9
①	2.185	2.496	4	1546670-4
①	1.748	2.059	3	1546670-3
①	1.311	1.622	2	1546670-2
	DIM B	DIM A	NO OF POS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHEGEL	4/4/03	Tyco Electronics Corporation B&Brisburg, PA 17105
DIMENSIONS: INCHES		CHK	C RICHARD	4/4/03	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	C RICHARD	4/4/03	
0 PLC ± - 1 PLC ± - 2 PLC ± .01 3 PLC ± .005 4 PLC ± - ANGLES ± 3°		PRODUCT SPEC	NAME		
MATERIAL		APPLICATION SPEC		DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING	
FINISH		WEIGHT	A2 00779 C=1546670		RESTRICTED TO
		CUSTOMER DRAWING		SCALE	NTS SHEET 1 of 3 REV K15


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
FT		0		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-


DOUBLE SIDED, DOUBLE HOLE  
QC TAB, QTY 5



DOUBLE SIDED, DOUBLE HOLE  
QC TAB, QTY 5




JUMPER, QTY 1




DOUBLE SIDED, DOUBLE HOLE  
45° QC TAB, QTY 9



DOUBLE SIDED, DOUBLE HOLE  
90° QC TAB, QTY 9



JUMPER QTY 2



.250  
TYP




2-1546670-7


2-1546670-8

3-1546670-2

DOUBLE SIDED, DOUBLE HOLE  
QC TAB, QTY 5




SINGLE SIDED, DOUBLE HOLE  
QC TAB, QTY 6




DOUBLE SIDED, DOUBLE HOLE  
FLAT QC TAB, QTY 8.

JUMPER, QTY 2





DOUBLE SIDED, DOUBLE HOLE  
45° QC TAB, QTY 6



DOUBLE SIDED, DOUBLE HOLE  
90° QC TAB, QTY 4



SINGLE SIDED, SINGLE HOLE  
QC TAB, QTY 2



.250  
TYP




2-1546670-9


3-1546670-1

3-1546670-3



SINGLE SIDED, DOUBLE HOLE  
QC TAB, QTY 18




DOUBLE SIDED, DOUBLE HOLE  
FLAT QC TAB, QTY 8.



.250  
TYP



3-1546670-0



3-1546670-4

11.764	12.110	26	2-1546670-6
11.327	11.673	25	2-1546670-5
10.890	11.236	24	2-1546670-4
10.453	10.799	23	2-1546670-3
10.016	10.362	22	2-1546670-2
9.579	9.925	21	2-1546670-1
9.142	9.488	20	3-1546670-7
DIM B	DIM A	NO OF POS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	S SCHEGEL	4/4/03
CHK	C RICHARD	4/4/03
APVD	C RICHARD	4/4/03
PRODUCT SPEC		
APPLICATION SPEC		
WEIGHT	-	
CUSTOMER DRAWING		


**Tyco Electronics** Tyco Electronics Corporation  
Harrisburg, PA 17105

DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C=1546670	-
SCALE	NTS	SHEET	2 OF 3
REV	K15		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			




DOUBLE SIDED, DOUBLE HOLE  
 FLAT QC TAB, QTY 9.

JUMPER, QTY 1


3-1546670-5



DOUBLE SIDED, DOUBLE HOLE  
 45° QC TAB, QTY 9




SINGLE SIDED, DOUBLE HOLE  
 45° QC TAB, QTY 10




SINGLE SIDED, DOUBLE HOLE  
 90° QC TAB, QTY 10



JUMPER, QTY 4





SINGLE SIDED, DOUBLE HOLE  
 FLAT QC TAB, QTY 10





3-1546670-7




3-1546670-8



3-1546670-9



4-1546670-1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	S SCHEGEL	4/4/03	 Tyco Electronics Corporation Harrisburg, PA 17105
DIMENSIONS:		CHK	C RICHARD	4/4/03	
INCHES		APVD	C RICHARD	4/4/03	
		PRODUCT SPEC			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC			
0 PLC ± -		WEIGHT	-		
1 PLC ± -		CUSTOMER DRAWING	SCALE NTS SHEET 3 OF 3 REV K15		
2 PLC ± .01					
3 PLC ± .005					
4 PLC ± -					
ANGLES ± 3°					
FINISH					
-					