



CRIMP D-SUB CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

HDP-20,RCPT,SIZE 2, 15 POSN,CL

AMPLIMITE | Crimp Snap

1658644-1

TE Internal Number: 1658644-1

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **15**

Contact Size **20**

Shell Size **2**

Mating Connector Lock **With**

Product Drawings

RECEPTACLE CONNECTOR, SIZE 2, 15 POSN, WITH CLINCH NUTS, AMPLIMITE HDP

PDF (TIFF AVAILABLE)
English

RECEPTACLE CONNECTOR, SIZE 2, 15 POSN, WITH CLINCH NUTS, AMPLIMITE HDP

PDF (TIFF AVAILABLE)
English

CAD Files

Customer View Model

2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

3D PDF

PDF
English

Catalog Pages/Data Sheets

AMPLIMITE Subminiature D Connectors - Cable Connectors

PDF
English

Product Specifications

Product Specification

AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts

PDF
English

Application Specification

AMPLIMITE HDP-20 And Economy Crimp Snap Subminiature D Commercial Connectors

PDF
English

Qualification Test Report

AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_1658644-1_12052013548_dmtec](#)
PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[AMPLIMITE High Density \(HDP-20\) Connectors With Crimp-Type Contacts](#)
PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Style	Receptacle
Shell Size	2
Shell Type	Full Metal Shell
Product Type	Connector
Grade	Standard
Grounding Indents	Without

Configuration Features

Number of Positions	15
---------------------	----

Body Features

Insert Material	PBT GF
Shell Material	Steel
Shell Plating Material	Tin

Contact Features

Contact Size	20
--------------	----

Mechanical Attachment

Mating Connector Lock	With
Mating Connector Lock Type	Clinch Nut, 4-40 UNC

Industry Standards

UL Flammability Rating	UL 94V-0
Insert Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Package
Packaging Quantity	400










Other

Comment	Receptacles accept size 20 DF socket contacts.
---------	--

Product Compliance

[Statement of Compliance](#)
PDF

CUSTOMERS ALSO BOUGHT

CRIMP D-SUB CONNECTORS	CRIMP D-SUB CONNECTORS	D-SUB CONNECTOR CONTACTS	HEAT SHRINK TUBING
			
HDP-22, RCPT, SIZE 1, 15 POSN, CLI 1658690-1	HDP-20, RCPT, SIZE 1, 9 POSN, CLI 1658643-1	20 DF SCKT CONT 66504-3	RNF-100-3/8-9-SP RNF-100-3/8-9-SP
 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products

Products - 14 Results

[View All](#)

Compare 0/10

Relation Type ▼

RELATIONSHIP

Receptacle Kits

Used to identify Receptacle Kits

[See All Receptacle Kits](#)

PRODUCT - RECEPTACLE KITS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap
**KIT, RCPT, 15P, HDP-20,
SHLD HDWRE
- 5787908-1**
TE INTERNAL NUMBER: 5787908-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**Number of Positions **15**Contact Size **20**Shell Size **2**Mating Connector Lock **With**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS






Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap
**KIT, HDP-20, ENCLSUR,
PLUG, SIZE 2 - 1658657-1**
TE INTERNAL NUMBER: 1658657-1
ALIAS ID: 1423150

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**Number of Positions **15**Contact Size **20**Shell Size **2**Mating Connector Lock **With**

PRODUCT - MATING PRODUCTS		
	<div>Connectors - Crimp D-Sub Connectors</div> <div>AMPLIMITE I Crimp Snap</div> <div>CRIMP SNAP PLUG ASSY, SIZE 2 - 205206-3</div> <div>TE INTERNAL NUMBER: 205206-3</div> <div>ALIAS ID: 1186904, 27-01519-00, 5021905</div> <div> Active</div>	