



CRIMP D-SUB CONNECTORS



TE CONNECTIVITY (TE) HDP-22, PLUG, SIZE 2, 26 POSN AMPLIMITE | Crimp Snap

1658671-1
TE Internal Number: 1658671-1

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Number of Positions **26**

Contact Size **22**

Shell Size **2**

Mating Connector Lock **Without**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

[PLUG ASSEMBLY, SIZE 2, 26 POSN, HDP-22, AMPLIMITE](#)
PDF
English

CAD Files

[Customer View Model](#)
2D_DXF.ZIP
English

[Customer View Model](#)
3D_IGS.ZIP
English

[Customer View Model](#)
3D_STP.ZIP
English

[3D PDF](#)
PDF
English

Catalog Pages/Data Sheets

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)
PDF
English

Product Specifications

Product Specification [AMPLIMITE* HDP-22 Subminiature D Connector With Removable F Crimp Contacts](#)
PDF
English

Application Specification [AMPLIMITE HDP-22 Connectors And High-Density 22DF Contacts](#)
PDF
English

Qualification Test Report [AMPLIMITE HDP-22 Subminiature D Connector With Removable F Crimp Contacts](#)
PDF
English

Product Environmental Compliance

TE Material Declaration [MD_1658671-1_1021201509_dmtec](#)
PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[AMPLIMITE HDP-22 Connectors \(Plugs And Receptacles With Crimp-Type Contacts\)](#)

PDF
English

[Insertion/Extraction Tool 91285-1 And Replacement Tip Kits 543382-\[\]](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Plug
	Shell Size	2
	Shell Type	Front Metal Shell
	Product Type	Connector
	Grade	Standard
	Grounding Indents	With

Configuration Features	Number of Positions	26
------------------------	---------------------	-----------

Body Features	Insert Material	Glass-Filled Nylon
	Shell Material	Steel
	Shell Plating Material	Tin

Contact Features	Contact Size	22
------------------	--------------	-----------

Mechanical Attachment	Mating Connector Lock	Without
-----------------------	-----------------------	----------------

Industry Standards	UL Flammability Rating	UL 94V-0
	Insert Flammability Rating	UL 94V-0





Packaging Features	Packaging Method	Carton
	Packaging Quantity	400

Product Compliance	Statement of Compliance
--------------------	---

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

D-SUB CONNECTOR CONTACTS	CRIMP D-SUB CONNECTORS	CRIMP D-SUB CONNECTORS	RIBBON CABLE CONNECTORS
			
PIN CONTACT, 22-28 AWG, 22 DF, AMPLIMITE 1658670-2	HDP-22, PLUG, SIZE 3, 44 POSN 1658672-1	HDP-22, RCPT, SIZE 2, 26 POSN 1658682-1	A/L UNIV HDR 10P VERT SHT LAT 5499910-1
Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products

Products - 6 Results

[View All](#)

[Compare 0/10](#)


Relation Type ▼

RELATIONSHIP

Plug Kits

Used to identify Plug Kits

[See All Plug Kits](#)

PRODUCT - PLUG KITS		<input checked="" type="checkbox"/>
	Connectors - Crimp D-Sub Connectors AMPLIMITE I Crimp Snap HDP-22, OVRMLD, PLUG KIT, SIZE 2, - 1658676-1 TE INTERNAL NUMBER: 1658676-1 ✓ Active	Always EU RoHS/ELV Compliant Connector Style Plug Number of Positions 26 Contact Size 22 Shell Size 2 Mating Connector Lock Without

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS		<input checked="" type="checkbox"/>
	Connectors - Crimp D-Sub Connectors AMPLIMITE I Crimp Snap KIT, HDP-22, ENCLSUR, RCPT, SIZE 2 - 1658689-1 TE INTERNAL NUMBER: 1658689-1 ✓ Active	Always EU RoHS/ELV Compliant Connector Style Receptacle Number of Positions 26 Contact Size 22 Shell Size 2 Mating Connector Lock With

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors
AMPLIMITE | Crimp Snap

RCPT ASSY, 26P, HDP-22, CN - 5788816-1

TE INTERNAL NUMBER: 5788816-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **26**

Contact Size **22**

Shell Size **2**

Mating Connector Lock **With**