



TE CONNECTIVITY (TE)

Mini USB AB R/A,Rcpt,SMT,T&R

Universal Serial Bus | AB

1734328-2

TE Internal Number: 1734328-2

Always EU RoHS/ELV Compliant

Size **Mini**

Connector Style **Receptacle**

Number of Ports **1**

Orientation **Right Angle**

Mounting Location **Top**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

[MINI USB CONN., TYPE AB, RCPT, 5 POS., R/A, SMT](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

Product Specifications

Product Specification

[MINI USB SERIES.](#)

PDF
English

Qualification Test Report

[MINI USB SERIES.](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_1734328-2_010320162127_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Size	Mini
	Connector Style	Receptacle
	Orientation	Right Angle
	LED	Without
	Product Type	Connector
	Applies To	Printed Circuit Board
Configuration Features	Number of Ports	1
	Panel Ground	Without
	Number of Positions	5
Body Features	Shell Plating Material	Nickel
Contact Features	Contact Mating Area Plating Thickness	.76 μm [29.92 μin]
	Contact Mating Area Plating Material	Gold
Termination Features	Termination Method	Solder
	Contact Termination Type	Surface Mount
Mechanical Attachment	Mounting Location	Top
	Locking Feature	Without
	Locating Posts	With
	PCB Mount Retention Type	Hold-Downs
Housing Features	Housing Material	PA 9T
	Housing Color	Black
Dimensions	PCB Thickness (Recommended)	1.57 mm [.062 in]
Operation/Application	Pick and Place	None
Industry Standards	Industry Standard	USB 2.0
Packaging Features	Packaging Method	Tape & Reel

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

