



TERMINALS & SPLICES

## MOTOR TERMINAL HOUSINGS



TE CONNECTIVITY (TE)

### FASTIN-ON TAB HSG

[FASTIN-FASTON](#) | [FASTON Terminals and Housings](#)

180916-5

TE Internal Number: 180916-5

Always EU RoHS/ELV Compliant

Product Type **Terminal Housing**

Number of Circuits **1**

Material **PA 6.6**

Color **Black**

Polarized **Yes**

✓ Active

[↓ PRODUCT DRAWING](#)  
English

[↓ 3D PDF](#)



### Product Drawings

[FASTIN-FASTON CONNECTOR .250 SRS TAB HOUSING, 1 POS.](#)

PDF **(TIFF AVAILABLE)**  
English

[FASTIN-FASTON CONNECTOR .250 SRS TAB HOUSING, 1 POS.](#)

PDF **(TIFF AVAILABLE)**  
English

### CAD Files

[3D PDF](#)

PDF  
3D

[Customer View Model](#)

2D\_DXF.ZIP  
English

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

### Product Specifications

[Product Specifications](#)

[FASTIN-FASTON CONN. 140 INCH, 147 INCH, 250 INCH, 275 INCH, 280 INCH](#)

Product Specification

[FASTIN-FASTON CONN. .110 INCH, .187 INCH, .250 INCH, .375 INCH SRS.](#)  
TIF  
**English**

Application Specification

[FASTIN-FASTON CONN. .110 INCH, .187 INCH, .250 INCH, .375 INCH SRS.](#)  
PDF  
**English**  
[.110 .187, .250, .312, And .375 Series FASTIN-FASTON Housings And Contacts](#)  
PDF  
**English**

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

---

Product Type Features

Product Type

**Terminal Housing**

FASTON

**Yes**

Connector Style

**Plug**

Applies To

**Wire/Cable**

Style Code

**B**

---

Configuration Features

Number of Circuits

**1**

Number of Positions

**1**

Preloaded

**No**

---

Body Features

Material

**PA 6.6**

Color

**Black**

---

Contact Features

Accepts Terminal Style

**Tab**

---

Mechanical Attachment

Polarized

**Yes**

Mounting Style

**Free Hanging**

---

Housing Features

Housing Type

**Tab Housing**

---

Dimensions

Length

**31 mm [ 1.22 in ]**

---

Operation/Application

Connects To

**250 Series**

---

Industry Standards

UL Flammability Rating

**UL 94V-2**

---

Packaging Features

Packaging Method

**Bag**

Packaging Quantity

**1400**

---

Product Compliance

Statement of Compliance

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

