

QUICK DISCONNECTS

















PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)

FASTON TAB 4.1MM HOLE DIA SPEC

FASTON | FASTON Terminals and Housings

181949-2

TE Internal Number: 181949-2

Always EU RoHS/ELV Compliant

Terminal Style Tab

Mating Tab Width 6.35 mm [.25 in]

Mating Tab Thickness .81 mm [.032 in]

Plating Material Brass, Tin

Mating Retention Type **Dimple**

Product Drawings

FASTON CONN. .250" SR. TAB CTC 45 DEG. BENT

PDF (TIFF AVAILABLE)

English

FASTON CONN. .250" SR. TAB CTC 45 DEG. BENT

PDF (TIFF AVAILABLE)

English

CAD Files

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

Customer View Model

2D_DXF.ZIP English

3D PDF

PDF **English**

Catalog Pages/Data Sheets

1654742_HOUSEHOLD_APPLIANCES_RAST5

PDF **English**

Product Environmental Compliance

TE Material Declaration

MD_181949-2_10092015736_dmtec

PDF English

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features Quick Disconnect Disconnect Type

	FASTON	Yes
	Insulated Wire Support	No
	Applies To	Stud
Configuration Features	Paired	No
	Stud Hole	Yes
	Terminal Angle	45°
	Connection Capacity	Single
Body Features	Plating Material	Brass, Tin
Contact Features	Terminal Style	Tab
	Contact Plating Material	Tin
Mechanical Attachment	Mating Retention Type	Dimple
Dimensions	Mating Tab Width	6.35 mm [.25 in]
	Mating Tab Thickness	.81 mm [.032 in]
	Stud Diameter	4.1 mm [.161 in]
	Overall Length	16.5 mm [.649 in]
Operation/Application	For Housing Type	Single or Multiple
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	5000
Other	Comment	Bulk number 181949-2., With hole for Positive Lock Receptacle
Product Compliance	Statement of Compliance	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE

