

CRIMP RINGS & SPADES





✓ Activ

★ P

PRODUCT DRAWING

 \pm

3D PDF

TE CONNECTIVITY (TE)

SOLIS R 22-16 COMM 22-18 MIL 8

SOLISTRAND | SOLISTRAND

2-34108-2

TE Internal Number: 2-34108-2

Always EU RoHS/ELV Compliant

Terminal Shape Ring Tongue

Stud Diameter **4.34 mm [.171 in]**

Sealed No

Heavy Duty No

Wire Size (AWG) 22 - 16

Product Drawings TERMINAL, RING TONGUE, SOLISTRAND

PDF **English**

CAD Files Customer View Model

2D_DXF.ZIP English

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

3D PDF PDF English

Product Environmental Compliance

TE Material Declaration MD_2-34108-2_10092012112

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features Sealed **No**

Barrel Type Closed Barrel

Wire/Cable Type Regular Wire

Insulated **No**

Insulated Wire Support No

Stud Size 8, M4 RING-048 Shape Code Wire/Cable Composition **Solid or Stranded** Configuration Features Number of Holes **Body Features** Plating Material Copper, Tin Inspection Slot No Weight per Piece (g) .592 Contact Features Terminal Shape **Ring Tongue** Terminal Orientation Straight Dimensions Stud Diameter 4.34 mm [.171 in] Wire Size (AWG) 22 – 16 Wire Size (mm²) .3 – 1.42 Wire Size (CMA) 509 - 3260 Barrel Inside Diameter 1.55 mm [.061 in] Material Thickness .79 mm [.0311 in] Overall Length 14.58 mm [.574 in] Barrel Inside Diameter (Min) 1.55 mm [.061 in] Usage Conditions Operating Temperature Range (°C) 170 Operation/Application Heavy Duty No Industry Standards Government Qualified No Packaging Features Packaging Method **Tape Mounted** 5000 Packaging Quantity

Product Compliance Statement of Compliance

VIEW ALL PRODUCT COMPLIANCE

