



RECTANGULAR POWER CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

RECEPT ASSY,160 POS,M-SERIES

AMP | PKS

202800-2

TE Internal Number: 202800-2

Always EU RoHS/ELV Compliant

Product Type **Housing**

Housing Type **Receptacle**

Connector System **Cable-to-Cable, Cable-to-Panel**

Applies To **Panel, Wire/Cable**

Number of Positions **160**

Product Drawings

[RECEPTACLE ASSEMBLY, 160 POSITION, M SERIES](#)

PDF (**TIFF AVAILABLE**)
English

[RECEPTACLE ASSEMBLY, 160 POSITION, M SERIES](#)

PDF (**TIFF AVAILABLE**)
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[M_SERIES_PIN_AND_SOCKET_CONNECTORS](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[AMP* 160 POSITION SERIES "M" CONNECTOR AND ACCESSORIES](#)





PDF
English

[AMP* 160 POSITION SERIES "M" CONNECTOR AND ACCESSORIES](#)

TIF
English

Product Type Features	Product Type	Housing
	Housing Type	Receptacle
	Contact Type	Socket
Configuration Features	Number of Positions	160
Mechanical Attachment	Panel Mount Retention Type	Screw Mount
	Panel Mount Retention	With
Housing Features	UL Flammability Rating	UL 94V-0
	Housing Color	Black
	Housing Material	Phenolic GF
Dimensions	Width	46.38 mm [1.826 in]
	Height	69.85 mm [2.75 in]
	Length	28.32 mm [1.115 in]
Usage Conditions	Sealed Condition	Not Sealed
Operation/Application	Connector System	Cable-to-Cable, Cable-to-Panel
	Applies To	Panel, Wire/Cable
	Operating Temperature	-55 – 150 °C [-67 – 302 °F]
Packaging Features	Packaging Method	Box
	Packaging Quantity	1
Other	For Use With	Plug Block 202799
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

<p>RECTANGULAR POWER CONNECTORS</p> 	<p>RECTANGULAR CONNECTOR HARDWARE</p> 	<p>POWER CONTACTS</p> 	<p>RECTANGULAR CONNECTOR HARDWARE</p> 
--	--	--	--



CNTR FASTENER PLUG
BLOCK, 160P
202799-2



Save to List



Find Similar Products



160-POS. PIN HOOD
EXTERNAL
203744-4



Save to List



Find Similar Products



SKT, .062 DIA, .025 SQ
POST, LP
6-66461-2



Save to List



Find Similar Products



160 POS. PIN HOOD.
203743-4



Save to List



Find Similar Products

