



## CRIMP D-SUB CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

### CRIMP SNAP RCPT ASSY,SIZE 2

[AMPLIMITE](#) | [Crimp Snap](#)

205205-2

TE Internal Number: 205205-2

Alias ID: 1186906, 2-42934-5727

[Always EU RoHS/ELV Compliant](#)

Connector Style **Receptacle**

Number of Positions **15**

Contact Size **20**

Shell Size **2**

Mating Connector Lock **With**

#### Product Drawings

[RCPT CONNECTOR, SIZE 2, 15 POSN, AMPLIMITE , HDP](#)

PDF  
English

#### CAD Files

[Customer View Model](#)

2D\_DXF.ZIP  
English

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

[3D PDF](#)

PDF  
English

#### Catalog Pages/Data Sheets

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)

PDF  
English

#### Product Specifications

Product Specification

[AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts](#)

PDF  
English

Application Specification

[AMPLIMITE HDP-20 And Economy Crimp Snap Subminiature D Commercial Connectors](#)

PDF  
English

Qualification Test Report

[AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts](#)

PDF  
English

#### Product Environmental Compliance

TE Material Declaration

[MD\\_205205-2\\_05282015730\\_dmtec](#)

PDF  
English

Instruction Sheets

Instruction Sheet (U.S.)

AMPLIMITE High Density (HDP-20) Connectors With Crimp-Type Contacts  
PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	Shell Size	2
	Shielded	Yes
	Shell Type	Full Metal Shell
	Product Type	Connector
	Grade	Standard
	Grounding Indents	Without
Configuration Features	Number of Positions	15
Body Features	Shell Material	Steel
	Shell Plating Material	Tin
	Insert Material	Thermoplastic
	Shield Material	Steel
Contact Features	Contact Size	20
Mechanical Attachment	Mating Connector Lock	With
	Mating Connector Lock Type	Mounting Holes
Operation/Application	For Use With	Crimp Snap-in
Industry Standards	Insert Flammability Rating	UL 94V-0
	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Package
	Packaging Quantity	800
Other	Comment	Receptacles accept size 20 DF socket contacts.

Products - 14 Results

View All

Compare 0/10



Relation Type



RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors  
AMPLIMITE I Crimp Snap

CRIMP SNAP PLUG ASSY,  
SIZE 2 - 205206-9

TE INTERNAL NUMBER: 205206-9

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Number of Positions **15**

Contact Size **20**

Shell Size **2**

Mating Connector Lock **With**

RELATIONSHIP

Receptacle Kits

Used to identify Receptacle Kits

See All Receptacle Kits

PRODUCT - RECEPTACLE KITS



Connectors - Crimp D-Sub Connectors  
AMPLIMITE I Crimp Snap

KIT, RCPT, 15P, HDP-20,  
SHLD HDWRE  
- 5787908-1

TE INTERNAL NUMBER: 5787908-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **15**

Contact Size **20**

Shell Size **2**

Mating Connector Lock **With**

RELATIONSHIP

Receptacle Kits

Used to identify Receptacle Kits

See All Receptacle Kits

PRODUCT - RECEPTACLE KITS



Connectors - Crimp D-Sub Connectors  
AMPLIMITE I Crimp Snap

KIT, HDP-20, ENCLSUR,  
RCPT, SIZE 2 - 1658656-1

TE INTERNAL NUMBER: 1658656-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **15**

Contact Size **20**

Shell Size **2**

