




CIRCULAR CONNECTOR BACKSHELLS & CLAMPS



✓ Active

[↓](#) **PRODUCT DRAWING**
English

[↓](#) **3D PDF**

TE CONNECTIVITY (TE)

CABLE CLAMP KIT #17

AMP | CPC

206070-8

TE Internal Number: 206070-8

Always EU RoHS/ELV Compliant

Accessory Type **Cable Clamp**

Shell Size **17**

Body Style **Straight**

Cable Diameter (Max) **11.51 mm [.453 in]**

Cover **Without**

Product Drawings

[CABLE CLAMP KIT, STANDARD, SHELL SIZE 17, CPC](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[AMP Circular Connectors For Commercial Signal & Power Applications](#)

PDF
English

[AMP Circular Connectors For Commercial Signal & Power Applications Continued](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_206070-8_071620142335_dmtec](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[Installing Flat Ring Onto Cable Clamp](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

| | | |
|------------------------|---------------------------------|--|
| Product Type Features | Accessory Type | Cable Clamp |
| | Shell Size | 17 |
| | Thread Size | 15/16-20 UNEF-2B |
| | Product Type | Accessory |
| Configuration Features | Cover | Without |
| Body Features | Body Style | Straight |
| | Cable Clamp Color | Black |
| | Cable Clamp Material | Thermoplastic |
| | Cable Clamp Flammability Rating | UL 94V-0 |
| Dimensions | Cable Diameter (Max) | 11.51 mm [.453 in] |
| Packaging Features | Packaging Method | Individual |
| | Packaging Quantity | 1 |
| Other | Comment | Cable clamp inserts are not sold separately., Cable clamps can be threaded directly onto plugs or receptacles, or onto back-shell extenders., Clamping areas adjustable by inverting or changing inserts., Components for all cable clamps are packaged unassembled. This includes the cable clamp, two screws, and the clamping inserts., Packaging includes two screws: Shell sizes 11-17, screw length 9.52 [.375]-shell size 23, screw length 15.88 [.625]., Replacement screws are available in the following sizes: 9.52mm [3/8 in.] -P/N 19024-1, 12.7mm [1/2 in.] -P/N 19024-2, 15.88mm [5/8 in.] -P/N 19024-3, 25.4mm [1 in.] -P/N 19024-4, 19.05mm [3/4 in.] -P/N 19024-5. |

Product Compliance

Statement of Compliance

PDF

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT

CIRCULAR POWER CONNECTORS



CIRCULAR POWER CONNECTORS











CIRCULAR POWER CONNECTORS



POWER CONTACTS



TYPE VI PIN CONT M-

| | | | |
|---|---|---|--|
| <p>CPC PLUG ASSEMBLY SIZE 17-14 206044-1</p> <hr/> <p> Save to List</p> <p> Find Similar Products</p> | <p>CPC PLUG ASSEMBLY SIZE 17-16 206037-1</p> <hr/> <p> Save to List</p> <p> Find Similar Products</p> | <p>RECEPT, SZ 17-14 CPC 206043-1</p> <hr/> <p> Save to List</p> <p> Find Similar Products</p> | <p>FILE WITH CORN, IN- MATE, LP 66593-1</p> <hr/> <p> Save to List</p> <p> Find Similar Products</p> |
|---|---|---|--|