




D-SUB BACKSHELLS & CLAMPS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

CABLE CLAMP KIT, SZ 4

AMPLIMITE | AMPLIMITE Kit , CHAMP Kit

207473-1

TE Internal Number: 207473-1

Always EU RoHS/ELV Compliant

Accessory Type **Cable Clamp**

Cable Clamp Type **Box and Lid**

Number of Positions **37**

Shell Size **4**

Shielded **No**

Product Drawings

[CABLE CLAMP KIT, SIZE 4,](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_207473-1_0806201251](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[Cable Clamp Assemblies For AMPLIMITE HD-20 And HD-22 Connectors](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Accessory Type	Cable Clamp
	Shell Size	4
	Shielded	No
	Applies To	Cable
	Thread Size	None
	Grommets	Without
Configuration Features	Number of Positions	37
Body Features	Cable Clamp Type	Box and Lid
	Cable Exit Angle	90°, 180°
	Color	Black
	Shield Plating Material	None
	Cable Clamp Material	Thermoplastic
Mechanical Attachment	Screws and Retainer Clips	With
Dimensions	Cable Insulation Diameter (mm)	10.29, 16.26
	Cable Insulation Diameter (in)	.405, .64
Packaging Features	Packaging Method	Individual
	Packaging Quantity	1
Other	Comment	All parts are packaged unassembled., Cable diameter for 90° cable exit is 10.29 [.405], Cable diameter is adjustable by changing cable support gates. Use the flat side of cable support gates for discrete wire, and the semicircle side for jacketed cable.

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

