



CIRCULAR POWER CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

RECEPT ASSY,SZ 14,CMC

AMP | CPC

208717-1

TE Internal Number: 208717-1

Always EU RoHS/ELV Compliant

Product Type **Housing**

Number of Positions **7**

Applies To **Panel, Wire/Cable**

Housing Type **Receptacle**

Reverse Gender **Reverse**

Product Drawings

[RECEPTACLE ASSEMBLY, 14-7, REVERSE SEX, CMC](#)

PDF (TIFF AVAILABLE)
English

[RECEPTACLE ASSEMBLY, 14-7, REVERSE SEX, CMC](#)

PDF (TIFF AVAILABLE)
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[AMP Circular Connectors For Commercial Signal & Power Applications Continued](#)

PDF
English

Product Specifications

Application Specification

[Circular Plastic Connectors \(CPC\)](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[METAL SHELL CPC \(CIRCULAR PLASTIC CONNECTORS\)](#)



PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Product Type	Housing
	Housing Type	Receptacle
	Contact Type	Socket
Configuration Features	Number of Positions	7
	Reverse Gender	Reverse
	Number of Power Positions	0
	Number of Signal Positions	7
Body Features	Thread Size	7/8-20 UNEF-2A
Contact Features	Contact Protection	With
Mechanical Attachment	Mating Alignment	With
	Mating Retention	With
	Panel Mount Retention Type	Flange with Threaded Inserts
	Mating Retention Type	Threaded Coupling
	Mating Alignment Type	Keyed
Housing Features	Housing Color	Black
	Shell Type	Metal
	Housing Material	Thermoplastic
	Shell Size	14
	UL Flammability Rating	UL 94V-0
	Body Orientation	Straight
	Housing Plating Material	Nickel
Dimensions	Accepts Wire Insulation Diameter Range	2.67 mm [.105 in]
Usage Conditions	Sealed Condition	Not Sealed
	Fluid Resistance	None
Operation/Application	Applies To	Panel, Wire/Cable
Identification Marking	Reverse Numbering	Without

Identification Marking	reverse numbering	without
Industry Standards	VDE Tested	No
Packaging Features	Packaging Method	Carton
	Packaging Quantity	12
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

<p>CIRCULAR POWER CONNECTORS</p>  <p>CMC PLUG ASSEMBLY, SZ 14 208716-1</p> <p>Save to List Find Similar Products</p>	<p>CIRCULAR CONNECTOR BACKSHELLS & CLAMPS</p> <p>SZ 14 UNASSM KIT, CMC 208945-5</p> <p>Save to List Find Similar Products</p>	<p>MULTIPLE CONFIGURATION PCB HEADERS & RECEPTACLES</p> <p>14 MODII HDR DRRA SHRD LF 5-103166-5</p> <p>Save to List Find Similar Products</p>	<p>CIRCULAR POWER CONNECTORS</p>  <p>PLUG ASSY, SZ 14, CMC 208720-1</p> <p>Save to List Find Similar Products</p>
---	---	---	--

Products - 2 Results

[View All](#)

[Compare 0/10](#)


Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS		<input checked="" type="checkbox"/>
	<p>Connectors - Circular Power Connectors AMP I CPC</p> <p>CMC PLUG ASSEMBLY, SZ 14 - 208716-1 TE INTERNAL NUMBER: 208716-1</p> <p>✓ Active</p>	<p>Always EU RoHS/ELV Compliant</p> <p>Product Type Housing</p> <p>Number of Positions 7</p> <p>Connector System Wire-to-Wire</p> <p>Applies To Wire/Cable</p> <p>Housing Type Plug</p>


RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Circular Power Connectors
AMP | CPC

CMC PLUG ASSEMBLY, SZ 14 - 208716-2

TE INTERNAL NUMBER: 208716-2

✓ Active

Always EU RoHS/ELV Compliant

Product Type **Housing**

Number of Positions **7**

Connector System **Wire-to-Wire**

Applies To **Wire/Cable**

Housing Type **Plug**