




2199119-3 Product Details



2199119-3

TE Internal Number: 2199119-3

Active

View 3D PDF

M.2 (NGFF) Sockets

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Socket
- PCB Mounting Orientation = Right Angle
- PCB Mount Style = Surface Mount
- Contact - Rated Current = .5 A
- AC Operating Voltage Reference

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)
[Request Sample](#)
[Find Similar Products](#)
[Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [M.2\(NGFF\) MINICARD 0.5PITCH 67POS. 3.2H FOR DOUBLE S...](#) (PDF, English)

Catalog Pages/Data Sheets:

- [1-1773706-1NGFF_QRG-SC](#) (PDF, Chinese (Simplified))
- [1-1773702-1_NGFF_QRG-EN](#) (PDF, English)

Product Specifications:

- [PRODUCT SPECIFICATION FOR M.2\(NGFF\) HIGH END APPLICATION](#) (PDF, English)

Application Specifications:

- [APPLICATION SPEC FOR M.2\(NGFF\) MINICARD 0.5PITCH 67...](#) (PDF, English)

Instruction Sheets:

- None Available

CAD Files: (CAD Format & Compression Information)

- [2D Drawing](#) (DXF, Version A)
- [3D Model](#) (IGES, Version A)
- [3D Model](#) (STEP, Version A)

[List all Documents](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Socket
- PCB Mounting Orientation = Right Angle
- PCB Mount Style = Surface Mount
- Key Type = B

Electrical Characteristics:

- Contact - Rated Current (A) = 0.5
- Operating Voltage Reference = AC
- Operating Voltage (VAC) = 50

Dimensions:

- Length (X-Axis) (mm [in]) = 21.90 [0.862]
- Width (Z-Axis) (mm [in]) = 8.70 [0.343]
- Profile Height (Y-Axis) (mm [in]) = 3.20 [0.126]

Contact Features:

- Contact Plating, Mating Area, Material = Gold
- Contact Plating = Gold (15)
- Contact Base Material = Copper Alloy
- Contact Plating, Termination Area, Material = Matte Tin

Housing Features:

- Centerline (mm [in]) = 0.50 [0.0197]
- Housing Material = High Temperature Thermoplastic
- Housing Color = Black

Configuration Features:

- Number of Positions = 67
- Number of Rows = 2

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Reflow solder capable to 245°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Packaging Features:

- Packaging Method = Tape & Reel

Other:

- Brand = TE Connectivity

[Investors](#)

[News Room](#)

[Supplier Portal](#)

[Careers](#)

[Terms & Conditions](#)

[Privacy Policy](#)

[AODA Accessibility Policy](#)

[AODA Multi-Year Accessibility
Plan](#)

[Product Cross Reference](#)

[Documents & Drawings](#)

[Product Compliance Support Center](#)

[Site Map](#)

[Find a Phone Number](#)

[Knowledge Base](#)

[Manage Your Account](#)

