


HOUSINGS





✓ Active



PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)

MOD II HSG

AMPMODU | AMPMODU IV/V

280630

TE Internal Number: 280630

Always EU RoHS/ELV Compliant

Centerline 2.54 mm [.1 in]

Number of Positions 6

Number of Rows 1

Row-to-Row Spacing 2.54 mm [.1 in]

Mating Retention With

Product Drawings

AMP MODU 2 PIN HOUSING, SINGLE ROW, CRIMP SNAP-IN

PDF (TIFF AVAILABLE)

English

AMP MODU 2 PIN HOUSING, SINGLE ROW, CRIMP SNAP-IN

PDF (TIFF AVAILABLE)

English

CAD Files

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

Customer View Model

2D_DXF.ZIP English

3D PDF

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Row-to-Row Spacing

2.54 mm [.1 in]

Connector Style

Plug

Glow Wire Rating

Standard Part - Not Glow Wire

Connector Type

Housing

Product Type

Connector

Applies To

Wire/Cable

Configuration Features	Number of Positions Number of Rows	6	
Contact Features	Contact Layout Contact Type	Inline	
Termination Features	Termination Method to Wire/Cable	Crimp	
Mechanical Attachment	Mating Retention Mating Retention Type PCB Mount Retention Mating Connector Lock Mating Alignment Panel Mount Retention Mating Alignment Type	With Lock Without Without Without Without Polarization	
Housing Features	Centerline Housing Material Housing Configuration Housing Color	2.54 mm [.1 in] Thermoplastic Both Ends Closed Black	
Dimensions	Length (mm) Height	7.1 3.1 mm [.12 in]	
Industry Standards	UL Flammability Rating	UL 94V-1	
Packaging Features	Packaging Quantity 1000 Packaging Method Bag		
Product Compliance	Statement of Compliance PDF		

VIEW ALL PRODUCT COMPLIANCE