




# WIRE-TO-BOARD CONNECTOR CONTACTS



Active

PRODUCT DRAWING  
English

3D PDF

## TE CONNECTIVITY (TE) MOD 2 CONTACT AMPMODU | AMPMODU IV/V

280708-2  
TE Internal Number: 280708-2

Always EU RoHS/ELV Compliant

Contact Type **Socket**

Wire/Cable Size (AWG) **26 – 22**

Wire/Cable Size (mm<sup>2</sup>) **.12 – .4**

Contact Mating Area Plating Material **Pre-Tin**

Packaging Method **Strip**

### Product Drawings

[Ampmodu Ii Rec Contact High Pressure C.O.S.I.](#)  
PDF (TIFF AVAILABLE)  
English

[Ampmodu Ii Rec Contact High Pressure C.O.S.I.](#)  
PDF (TIFF AVAILABLE)  
English

### CAD Files

[Customer View Model](#)  
3D\_IGS.ZIP  
English

[Customer View Model](#)  
3D\_STP.ZIP  
English

[Customer View Model](#)  
2D\_DXF.ZIP  
English

[3D PDF](#)  
PDF  
English

### Product Specifications

#### Product Specification

[AMPMODU II Interconn. System, 2.54mm. Pitch](#)  
TIF  
English

[AMPMODU II Interconn. System, 2.54mm. Pitch](#)  
PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type	<b>Contact</b>
Applied Pressure	<b>Standard</b>
With Insulation Support	<b>Yes</b>
Applies To	<b>Wire/Cable</b>

Contact Features	Contact Type	<b>Socket</b>
	Contact Mating Area Plating Material	<b>Pre-Tin</b>
	Contact Base Material	<b>Phosphor Bronze</b>
	Contact Mating Area Plating Thickness (µm)	<b>.8</b>

Termination Features	Termination Method to Wire/Cable	<b>Crimp</b>
	Crimp Area Plating Thickness (µm)	<b>.8</b>
	Crimp Area Plating Material	<b>Tin</b>





Dimensions	Wire/Cable Size (AWG)	<b>26 – 22</b>
	Wire/Cable Size (mm <sup>2</sup> )	<b>.12 – .4</b>
	Insulation Diameter	<b>.89 – 1.55 mm [ .035 – .061 in ]</b>

Packaging Features	Packaging Method	<b>Strip</b>
	Packaging Quantity	<b>10000</b>

Product Compliance [Statement of Compliance PDF](#)

[VIEW ALL PRODUCT COMPLIANCE](#)

## CUSTOMERS ALSO BOUGHT

<p><b>FFC CONTACTS</b></p>  <p><b>FFC PIN CONTACT TIN-P</b> 282618-1</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	<p><b>WIRE-TO-BOARD CONNECTOR HOUSINGS</b></p>  <p><b>MOD II HSG, SINGLE ROW 2 POS</b> 280358</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	<p><b>WIRE-TO-BOARD CONNECTOR HOUSINGS</b></p>  <p><b>AMP MODU, SINGLE ROW CONT 4 P</b> 280359</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	<p><b>WIRE-TO-BOARD CONNECTOR HOUSINGS</b></p>  <p><b>HOUSING AMPMODU II CONT RECPT</b> 280366</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>
---	--	---	---

Relation Type

RELATIONSHIP

**Toolings**  
Tooling

See All Toolings

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators  
AMP

**OC-AT-S-FM-055F062O-  
001-0137 - 2151969-1**

TE INTERNAL NUMBER: 2151969-1

✓ Active

Not in Scope for EU RoHS/ELV  
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -  
Atlantic**

Applicator Feed Style **Side Feed**



RELATIONSHIP

**Toolings**  
Tooling

See All Toolings

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators  
AMP

**OC-AT-S-FA-055F062O-  
001-0137 - 2151969-2**

TE INTERNAL NUMBER: 2151969-2

✓ Active

Not in Scope for EU RoHS/ELV  
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -  
Atlantic**

Applicator Feed Style **Side Feed**



RELATIONSHIP

**Toolings**  
Tooling

See All Toolings

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators  
AMP

**OC-055F062O-  
CRIMPTOOLINGKIT  
- 7-2151969-7**

TE INTERNAL NUMBER: 7-2151969-7

✓ Active

Not in Scope for EU RoHS/ELV  
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **Yes**

Spare Parts Tool Type **Spare  
Parts Kit**

