




# 44A0111-24-0-MX Product Details

[Share](#) | [Print](#) | [Email](#)


**44A0111-24-0-MX**

TE Internal Number: 282040-015

Active

## Spec 44, Spec 55 and Spec RCW Wire and Cable

Always EU RoHS/ELV Compliant (Statement of Compliance)

### Product Highlights:

- Cable Type = Spec 44
- Wire Source = United States
- Cable Style = Primary
- Wire Size (AWG/CM) = 24 AWG
- Voltage Rating = 600 VAC

[View all Features](#)

### Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)
[Request Sample](#)
[Find Similar Products](#)
[Buy Product](#)

Documentation & Additional Information	
<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">WIRE, ELECTRIC, RADIATION-CROSSLINKED, TIN-COATED CO...</a> (PDF, English)</li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>CAD Files:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul>	<p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Tooling</a></li> </ul>
<a href="#">List all Documents</a>	

Product Features (Please use the Product Drawing for all design activity)	
<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Cable Type</a> = Spec 44</li> <li>• <a href="#">Cable Style</a> = Primary</li> </ul> <p><b>Electrical Characteristics:</b></p> <ul style="list-style-type: none"> <li>• Voltage Rating (VAC) = 600</li> </ul> <p><b>Dimensions:</b></p> <ul style="list-style-type: none"> <li>• Conductor Outer Diameter (mm [in]) = 0.64 [0.025]</li> </ul> <p><b>Body Features:</b></p> <ul style="list-style-type: none"> <li>• Wire Size (AWG/CM) = 24 AWG</li> <li>• Conductor Type = Tin-Plated Copper</li> <li>• Wire Color = Black</li> <li>• Nominal Outside Diameter (mm [in]) = 1.02 [0.040]</li> <li>• Wire Diameter (mm [in]) = 1.02 [0.040]</li> </ul> <p><b>Configuration Features:</b></p> <ul style="list-style-type: none"> <li>• Number of Conductors = 1</li> </ul>	<p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>• Government/Industry Qualification = No</li> <li>• <a href="#">RoHS/ELV Compliance</a> = RoHS compliant, ELV compliant</li> <li>• <a href="#">Lead Free Solder Processes</a> = Not relevant for lead free process</li> <li>• RoHS/ELV Compliance History = Always was RoHS compliant</li> </ul> <p><b>Conditions for Usage:</b></p> <ul style="list-style-type: none"> <li>• Temperature Range (°C) = -65 - +150</li> <li>• Wire Size - Details = 24 AWG 0.24 mm<sup>2</sup>, 0.00037 in<sup>2</sup>, 19 x 36 AWG</li> </ul> <p><b>Operation/Application:</b></p> <ul style="list-style-type: none"> <li>• Application = General Purpose - Lightweight</li> </ul> <p><b>Packaging Features:</b></p> <ul style="list-style-type: none"> <li>• Wire Source = United States</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>• Brand = Raychem</li> </ul>

Feedback

