




TERMINAL BLOCK HEADERS & RECEPTACLES



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

TERMI-BLOK PCB MOUNT 5P

Buchanan

282837-5

TE Internal Number: 282837-5

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Centerline **5.08 mm [.2 in]**

Number of Positions **5**

Number of Rows **1**

Wire Entry Angle **Side**

Product Drawings

[TERMINAL BLOCK, PCB MOUNT SIDE ENTRY WIRE, STACKING W/INTERLOCK, 5.08mm PITCH](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IJS.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

Catalog Pages/Data Sheets

[BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS](#)

PDF
English

[1-1773458-1_EURO_STYLE_TERMINAL_BLOCKS_QRG](#)

PDF
English

Product Specifications

Application Specification

[Terminal Block Stacking Connectors](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	Applies To	Printed Circuit Board
	Block Type	None
Configuration Features	Number of Positions	5
	Number of Rows	1
	Wire Entry Angle	Side
	Closed End	Without
	Stacked Levels	Without
	Side Stackable	Yes
Electrical Characteristics	Current Rating (Max) (A)	13.5
	Voltage (VAC)	300
Body Features	Interlock	With
Contact Features	Contact Mating Area Plating Material	Tin
	Contact Base Material	Brass
Mechanical Attachment	Screw Flange	Without
	Screw Material	Brass
	Mounting Angle	Vertical
	Screw Plating Material	Nickel
	Screwless Terminal Block	No
	Screw Size	M3
Housing Features	Centerline	5.08 mm [.2 in]
	Housing Color	Green
	Housing Material	Polyamide 6.6 GF
Dimensions	Wire Range	.05 – 1.4 mm² [28 – 16 AWG]
	PCB Tail Length	3.5 mm [.138 in]
Packaging Features	Packaging Quantity	150
	Packaging Method	Carton
Other	Comment	10A Field Wiring

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)