

[+ TERMINALS & SPLICES](#)

QUICK DISCONNECTS



TE CONNECTIVITY (TE)

110 ULTRA-FAST RCPT 16-14 TPBR

Ultra-Fast | 110

3-520370-2

TE Internal Number: 3-520370-2
 Alias ID: 2-42933-7192

Always EU RoHS/ELV Compliant

Mating Tab Width (mm) **2.79, 3.18**

Mating Tab Width (in) **.125**

Mating Tab Thickness **.51 mm [.02 in]**

Wire Insulation Diameter (Max) **6.6 mm [.26 in]**

Wire Size (AWG) **16 – 14**

Wire Size (mm²) **1.31 – 2.08**

[> See All Features](#)

✓ Active

[↓ PRODUCT DRAWING](#)
English

[↓ 3D PDF](#)

[> See All Documentation](#)

North America ▾

DISTRIBUTOR	QUANTITY	DATE AS OF	
HEILIND ELECTRONICS 800-400-7041	65,880	2016/02/25	>
DIGIKEY ELECTRONICS 800-344-4539 or 218-681-6674	44,504	2016/02/26	>
AVNET ELECTRONICS 480-643-2000	26,000	2016/02/26	>
View More (9)			

GET SAMPLE	
SAVE TO LIST	
CHECK FOR TOOLING	
FIND SIMILAR PRODUCTS	

DOCUMENTATION

FEATURES

Product Drawings

[RECEPTACLE ASSY,ULTRA-FAST, .110/.125 SERIES, 16-14 AWG](#)
 PDF
 English

CAD Files

[Customer View Model](#)
 2D_DXF.ZIP
 English

[Customer View Model](#)
 3D_IGS.ZIP
 English

[Customer View Model](#)
 3D_STP.ZIP
 English

[3D PDF](#)
 PDF
 English

Catalog Pages/Data Sheets

[Ultra-Fast And Ultra Fast Plus](#)

PDF
English

Feedback

Product Specifications

Product Specification

[Ultra-Fast Fully Insulated FASTON Receptacle Terminals](#)

PDF
English





Product Environmental Compliance

TE Material Declaration

[MD_3-520370-2_07272012837](#)

PDF
English

CUSTOMERS ALSO BOUGHT

CRIMP RINGS & SPADES		RECTANGULAR POWER CONNECTORS	SURFACE MOUNT RESISTORS
			
TERMINAL, PIDG SPR SPD 12-10 6 52941-1	EP 3W (S) 1K5 5% EP3WS1K5J	05P UMNL PIN HDR ASSY V2 NATL 640466-1	SMW2 8R2 5% SMW28R2JT
Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products

COMPATIBLE

Products - 2 Results

[View All](#)

[Compare 0/10](#)

Relation Type ▼

RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators
AMP

OC-AT-S-FA-205D-001-0324 - 2151699-2

TE INTERNAL NUMBER: 2151699-2

Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN - Atlantic**

Applicator Feed Style **Side Feed**

Quick View 

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators
AMP

**OC-205D-
CRIMPTOOLINGKIT**

TE INTERNAL NUMBER: 7-2151699-7

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **Yes**

Spare Parts Tool Type **Spare Parts
Kit**



Quick View 