




HEADERS & RECEPTACLES



TE CONNECTIVITY (TE)

02P MTA100 HDR ASY FL/STR LF

[MTA](#) | [MTA-100](#)

3-641126-2

TE Internal Number: 3-641126-2

[Always EU RoHS/ELV Compliant](#)

Centerline **2.54 mm [.1 in]**

Number of Positions **2**

PCB Mounting Orientation **Vertical**

PCB Mounting Style **Through Hole**

Number of Rows **1**

✓ Active

[↓ PRODUCT DRAWING](#)
English

[↓ 3D PDF](#)

Product Drawings

[MTA-100 HEADER ASSEMBLY, FRICTION LOCK, NOTCHED, .025 SQUARE STRAIGHT POST, .000015 GOLD PLATED](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[MTA, CST-100 II, SL-156 And AMP Economy Power \(EP\) Connectors](#)

PDF
English

Product Specifications

Product Specification

[Connector, MTA-100](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_3-641126-2_02192014748_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	PCB Mounting Orientation	Vertical
	Product Type	Connector
	Connector Type	Header
	Connector System	Wire-to-Board
	Strain Relief	Without
	Sealed	No
	Connector Style	Plug
	Applies To	Printed Circuit Board

Configuration Features	Number of Positions	2
	Number of Rows	1
	Backwall/Post Interruptions	Without

Electrical Characteristics	Operating Voltage (VAC)	250
----------------------------	-------------------------	------------





Body Features	Header Type	Unshrouded
---------------	-------------	-------------------

Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness	.38 μm [15 μin]
	Underplate Material	Nickel
	Contact Termination Area Plating Thickness	3.81 – 8.89 μm [150 – 350 μin]
	Underplate Material Thickness	1.27 μm, 50 μin
	Contact Style	Straight
	Contact Shape	Square
	Tail Plating Material	Tin
	Contact Termination Area Plating Material	Tin
	Tail Plating Thickness	3.81 – 8.89 μm [150 – 350 μin]
	Contact Type	Pin
	Contact Current Rating (A)	5
	Contact Layout	Inline
	Contact Termination Area Plating Material Finish	Matte
	Contact Base Material	Copper Alloy

Termination Features	Termination Method to PC Board	Through Hole - Solder
	Termination Method to Wire/Cable	Solder

Mechanical Attachment	PCB Mounting Style	Through Hole
	PCB Mount Alignment	Without
	Mating Retention	With
	PCB Mount Retention	Without
	Contact Retention	Without
	Mating Retention Type	Friction Lock
	Panel Mount Retention	Without
	Mating Alignment	Without
Housing Features	Centerline	2.54 mm [.1 in]
	Housing Color	Natural
	Housing Style	Friction Lock
	Housing Material	Polyester - GF
Dimensions	Tail Length	3.56 mm [.14 in]
	Mating Post Length	7.49 mm [.295 in]
	PCB Thickness (Recommended)	1.6 mm [.063 in]
	Height	7.87 mm [.31 in]
	Length	5.08 mm [.2 in]
Usage Conditions	Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
Operation/Application	For Use With	MTA .100 Connector Assembly
	Pick and Place Cover	Without
Industry Standards	UL Flammability Rating	UL 94V-0
	UL File Number	E28476
	CSA Rating	Certified
	Agency/Standard	CSA, UL
	CSA File Number	LR7189
	UL Rating	Recognized
Packaging Features	Packaging Method	Package
	Packaging Quantity	1

CUSTOMERS ALSO BOUGHT

WIRE-TO-BOARD HEADERS & RECEPTACLES	RIBBON CABLE CONNECTORS	WIRE-TO-BOARD HEADERS & RECEPTACLES	WIRE-TO-BOARD HEADERS & RECEPTACLES
			
03P MTA100 HDR ASY FL/STR LF 3-641126-3	V23535A2200A 60=BKMOD421 HEADE 1393586-3	07P MTA100 HDR ASSY SQ R/A F/L 640457-7	08P MTA100 HDR ASSY FL/RA LF 3-641216-8
Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products

Products - 18 Results

[View All](#)

[Compare 0/10](#)


Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)


PRODUCT - MATING PRODUCTS		<input checked="" type="checkbox"/>
	Connectors - W-T-B Headers & Receptacles MTA MTA-100 02P MTA100 CONN ASSY WHT LF - 3-641191-2 TE INTERNAL NUMBER: 3-641191-2 ✓ Active	Always EU RoHS/ELV Compliant Centerline 2.54 mm Number of Positions 2 Number of Rows 1 Contact Mating Area Plating Material Gold Contact Mating Area Plating Thickness .38 µm

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS		<input checked="" type="checkbox"/>
	Connectors - W-T-B Headers & Receptacles MTA MTA-100 02P MTA100 CONN ASSY RED LF - 3-641190-2	Always EU RoHS/ELV Compliant Centerline 2.54 mm Number of Positions 2 Number of Rows 1

TE INTERNAL NUMBER: 3-641190-2

✓ Active

Number of Rows 1

Contact Mating Area Plating
Material **Gold**

Contact Mating Area Plating
Thickness **.38 µm**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - W-T-B Headers & Receptacles
MTA | MTA-100

**02P MTA100 CONN
ASSY WHT 15AU
- 641199-2**

TE INTERNAL NUMBER: 641199-2

✓ Active

Always EU RoHS/ELV Compliant

Centerline **2.54 mm**

Number of Positions **2**

Number of Rows **1**

Contact Mating Area Plating
Material **Gold**

Contact Mating Area Plating
Thickness **.38 µm**

