

RECTANGULAR POWER CONNECTORS











TE CONNECTIVITY (TE) 05P MTA156 HDR ASSY FL ST LF MTA | MTA156

3-641208-5

TE Internal Number: 3-641208-5

Always EU RoHS/ELV Compliant

✓ Active



PRODUCT DRAWING



3D PDF

Product Drawings

MTA-.156 HEADER ASSEMBLY, FRICTION LOCK, STRAIGHT, .045 SQUARE POST,

.000030 GOLD

PDF **English**

CAD Files

Customer View Model

3D_STP.ZIP English

Customer View Model

2D_DXF.ZIP **English**

3D PDF PDF 3D

Customer View Model

3D_IGS.ZIP English

Catalog Pages/Data Sheets

MTA, CST-100 II, SL-156 And AMP Economy Power (EP) Connectors

PDF **English**

Product Specifications

Product Specification System, Connector/Header, MTA 156

PDF English

Product Environmental Compliance

TE Material Declaration

05P MTA156 HDR ASSY FL ST LF


PDF **English** Detailed product features are not currently available online.


Product Compliance

Statement of Compliance

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT





RELATIONSHIP

Mating Products
Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

05P MTA156 CONN **ASSY 18AWG OR** - 3-644718-5

TE INTERNAL NUMBER: 3-644718-5

Always EU RoHS/ELV Compliant

Number of Positions 5

RELATIONSHIP

Mating Products Used to identify Mating Parts

PRODUCT - MATING PRODUCTS

Connectors - Wire-to-Board Connector Housings MTA | SL-156

05P SL156 HSG W/RMP&TABS, OVSZ - 647402-5

TE INTERNAL NUMBER: 647402-5

✓ Active

Centerline 3.96 mm

Number of Rows 1

Contact Mating Area Plating

Material Gold

Contact Mating Area Plating

Thickness .76 µm

See All Mating Products



Always EU RoHS/ELV Compliant

Centerline 3.96 mm

Number of Positions 5

Number of Rows 1

Color Natural

Mating Retention With