

CRIMP RINGS & SPADES



TERMINAL,BUDG R 26-22 6 SOLISTRAND | Budget

31430 TE Internal Number: 31430

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter 3.51 mm [.138 in]

Sealed No

Heavy Duty **No** Wire Size (AWG) **26 – 22**

JD PDF

 Product Drawings
 TERMINAL, RING TONGUE, BUDGET

 PDF
 English

 CAD Files
 3D PDF

 PDF
 English

 Customer View Model
 3D_IGS.ZIP

 English
 Customer View Model

 3D_STP.ZIP
 English

 Customer View Model
 3D_STP.ZIP

 English
 Customer View Model

 2D_DXF.ZIP
 English

Product Environmental Compliance

TE Material Declaration

MD_31430_12102013641_dmtec PDF English

Please review product documents or **contact us** for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Sealed	No
	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	No
	Insulated Wire Support	No

9 🖬 f v

	Stud Size	6, M8
	Shape Code	RING-048
	Wire/Cable Composition	Stranded
Configuration Features	Number of Holes	1
Body Features	Plating Material	Copper, Tin
	Plating Thickness (µin)	100
	Inspection Slot	Νο
	Weight per Piece (g)	.128
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	3.51 mm [.138 in]
	Wire Size (AWG)	26 – 22
	Wire Size (mm²)	.12 – .4
	Wire Size (CMA)	202 – 810
	Barrel Inside Diameter	.91 mm [.036 in]
	Material Thickness	.51 mm [.02 in]
	Overall Length	11.43 mm [.45 in]
	Barrel Inside Diameter (Min)	.89 mm [.035 in]
Usage Conditions	Operating Temperature Range (°C)	170
Operation/Application	Heavy Duty	Νο
Industry Standards	Government Qualified	Νο
Packaging Features	Packaging Method	Вох
	Packaging Quantity	1000
Other	Line	Budget
Product Compliance	Statement of Compliance PDF	

VIEW ALL PRODUCT COMPLIANCE