




CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

TERMINAL,PIDG R 24-20 8

PIDG | PIDG

323989

TE Internal Number: 323989

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **4.34 mm [.171 in]**

Tongue Thickness **.58 mm [.023 in]**

Sealed **No**

Heavy Duty **No**

Product Drawings

[TERMINAL, NYLON - PIDG - RING TONGUE WIRE SIZE: 24-20](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[1773464-1_ORG_PIDG_TERMINALS_AND_SPLICES](#)

PDF
English

Product Specifications

Application Specification

[Pre-Insulated Diamond Grip \(PIDG\) Terminals, Splices, And End Caps](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_323989_01292014215_dmtec](#)

PDF
English


Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Sealed	No
	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	8, M4
	Shape Code	RING-041
Wire/Cable Composition	Stranded	
Configuration Features	Terminal Angle	Straight
	Number of Holes	1
Electrical Characteristics	Voltage (Max) (V)	300
Body Features	Plating Material	Copper, Tin
	Insulation Sleeve Material	Copper
	Insulation Material	Nylon
	Inspection Slot	No
	Weight per Piece (g)	.53
	Insulation Type	Pre-Insulated
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	4.34 mm [.171 in]
	Tongue Thickness	.58 mm [.023 in]
	Wire Insulation Diameter (Max)	2.54 mm [.1 in]
	Wire Insulation Diameter	1.02 – 2.54 mm [.04 – .1 in]
	Wire Size (AWG)	24 – 20
	Wire Size (mm ²)	.2 – .518
	Wire Size (CMA)	320 – 1290
	Overall Length	20.85 mm [.821 in]
Operation/Application	Heavy Duty	No

Industry Standards	Government Qualified	No
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1
Other	Barrel Color	Natural
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT


SURFACE MOUNT RESISTORS



CRGH0603 5% 47K 0.2W
CRGH0603J47K

[Save to List](#)
[Find Similar Products](#)


SURFACE MOUNT RESISTORS



CRGH0603 5% 1K0 0.2W
CRGH0603J1K0

[Save to List](#)
[Find Similar Products](#)


SURFACE MOUNT RESISTORS



CRGH0603 5% 39K 0.2W
CRGH0603J39K

[Save to List](#)
[Find Similar Products](#)

TRIMMERS



3150W 200K
3150W204P

[Save to List](#)
[Find Similar Products](#)