

## Soft Shell Connectors

**.250" Centerline, 600 V, 19 - 36 A max. (Universal MATE-N-LOK)**

**AMP 350922-3** Active [Active](#)

RoHS Compliant [RoHS Compliant](#)

**(Tyco Electronics P/N: 350922-3)**

[CAD Geometry](#) | [Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
<a href="#">General Info</a> <a href="#">Sales Info</a> <a href="#">Assembly Subcontractors</a>	<a href="#">Pricing</a> <a href="#">Product Availability</a>	<a href="#">Tooling</a>

**Photos & Line Drawings** - The photographs and/or line drawings are representative images of a product for viewing purposes only.

[Product Photo](#)

### Searchable Features:

<b>Brand:</b>	AMP
<b>RoHS/ELV Compliance:</b>	RoHS compliant, ELV compliant
<b>Lead Free Solder Process:</b>	Not relevant for lead free process
<b>Product Type:</b>	Contact
<b>Connector Line:</b>	Universal MATE-N-LOK
<b>CompactPCI:</b>	No
<b>Contact Type:</b>	Pin
<b>High Current:</b>	No

### Other Properties:

<b>RoHS/ELV Compliance History:</b>	Always was compliant
<b>Contact Diameter (mm [in]):</b>	2.13 [0.084]
<b>Stock Thickness (mm [in]):</b>	0.30 [0.012]
<b>Voltage (VAC):</b>	600
<b>Packaging Method:</b>	Strip
<b>Contact Termination Area Plating:</b>	Pre-Tin

<b>Wire Range (mm [AWG]):</b>	3.08-4.86 <sup>2</sup> [12-10]
<b>Insulation Diameter (mm [in]):</b>	5.08 [.200] Max.
<b>Contact Material:</b>	Phosphor Bronze
<b>Sealable:</b>	No
<b>Current Rating (Amps.):</b>	19

**Comment:**

There is no insulation barrel on this contact. Insulation maximum diameter is limited by the housing.

HDM Applicator part number ending in -1 is used on AMPOMATOR CLS Machine with T or G Terminators, -2 is used on AMP-O-ELECTRIC Model K Machine, -6 is used on AMP-O-ELECTRIC Model G Machine.

---

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)

# i2 Technologies US, Inc.

## HTML Pages converted to PDF Document

This document contain component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

