

## HARD METRIC BACKPLANE CONNECTORS



## TE CONNECTIVITY (TE) Z-PACK 2MM HM ASSY,TYPE-B 133P Z-PACK | Z-PACK 2mm HM

Ƴ ⊡ f v

**352033-1** TE Internal Number: 352033-1

## Not EU RoHS or ELV Compliant Find Compliant Alternatives

Data Rate (Gb/s) **≤1** 

Number of Columns 19

Number of Rows 7

Centerline (mm) **2** 

Number of Positions 133

Product Drawings	MALE ASSEMBLY, Z-PACK 2mm HM, TYPE B	
	PDF English	
CAD Files	Customer View Model	
	3D_IGS.ZIP English	
	Customer View Model	
	3D_STP.ZIP English	
	Customer View Model	
	2D_DXF.ZIP English	
	3D PDF	
	PDF English	
Product Specifications		
Product Specification	Z-Pack 2 Mm HM CONNECTORS	
Application Specification	PDF English Z PACK 2mm HM Interconnection System For Poord To Poord Connections	
	Z-PACK 2mm HM Interconnection System For Board-To-Board Connections PDF English	
Product Environmental Compliance		
TE Material Declaration	MD_352033-1_0528201545_dmtec PDF English	

Please review product documents or **contact us** for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

. . . . . .

Product Type Features	PCB Mounting Orientation	Vertical
	Shielded	No
	Connector Style	Plug
	Make First / Break Last	No
	Connector Type	Connector Assembly
	Applies To	Printed Circuit Board
Configuration Features	Number of Columns	19
	Number of Rows	7
	Number of Positions	133
	Rows Loaded	A, B, C, D, E, F, Z
Signal Characteristics	Data Rate (Gb/s)	≤1
	Crosstalk Version	Standard
Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness (µm)	.76
	Contact Style	Short Tail
	CompactPCI Designation	P3
	Contact Mating Area Length (mm)	13.45
	Feedthrough Post Length (mm)	3.7
	Contact Base Material	Phosphor Bronze
	Number of Signal Contacts	95
	Contact Configuration	ACTION PIN, Signal
	Grounding Contact	Without
	Contact Type	Pin
Termination Features	Termination End Plating Material	Tin-Lead over Nickel
	Interface Type	2mm HM
Housing Features	Centerline (mm)	2
	Housing Material	Polyester - GF
Dimensions	Module Length (mm)	38
Industry Standards	UL Flammability Rating	UL 94V-0
	AdvancedTCA Specified Product	Νο

Packaging Features	Packaging Method Packaging Quantity	Tube 13
Product Compliance	Statement of Compliance PDF	
	VIEW ALL PRODUCT COMPLIANCE	

## CUSTOMERS ALSO BOUGHT

