




CRIMP RINGS & SPADES



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

TERMINAL, PIDG R 16-14 6

PIDG | PIDG

36157

TE Internal Number: 36157

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **3.68 mm [.145 in]**

Tongue Thickness **.79 mm [.031 in]**

Sealed **No**

Heavy Duty **No**

Product Drawings

[TERMINAL, PIDG RING TONGUE, WIRE SIZE 16-14 AWG](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_GS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Product Specifications

Application Specification

[Pre-Insulated Diamond Grip \(PIDG\) Terminals, Splices, And End Caps](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_36157_10122015412_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealed

No

Barrel Type

Closed Barrel

	Wire/Cable Type	Regular Wire
	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	6, M3.5
	Shape Code	RING-041
	Barrel Style	Standard
Configuration Features	Terminal Angle	Straight
	Number of Holes	1
Electrical Characteristics	Voltage (Max) (V)	300
Body Features	Plating Material	Copper, Tin
	Plating Thickness	2.54 μm [100 μin]
	Insulation Sleeve Material	Copper
	Insulation Material	Nylon
	Inspection Slot	No
	Weight per Piece (g)	1.048
	Insulation Type	Pre-Insulated
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	3.68 mm [.145 in]
	Tongue Thickness	.79 mm [.031 in]
	Wire Insulation Diameter (Max)	3.81 mm [.15 in]
	Wire Insulation Diameter	2.67 – 3.81 mm [.105 – .15 in]
	Wire Size (AWG)	16 – 14
	Wire Size (mm ²)	1.04 – 2.62
	Wire Size (CMA)	2050 – 5180
	Barrel Inside Diameter	3.89 – 3.94 mm [.153 – .155 in]
	Material Thickness	.79 mm [.031 in]
	Overall Length	21.82 mm [.859 in]
Operation/Application	Heavy Duty	No





Industry Standards	Government Qualified	No
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1000
Other	Barrel Color	Blue

Product Compliance

[Statement of Compliance PDF](#)

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

RIBBON CABLE CONNECTORS	CRIMP RINGS & SPADES	SINGLE PHASE FILTERS	CRIMP RINGS & SPADES
 <p>A/L UNIV HDR 10P RA LG LAT 5499141-1</p> <p>Save to List Find Similar Products</p>	 <p>TERMINAL, SOLIS FLAG R 12-10 36272</p> <p>Save to List Find Similar Products</p>	 <p>10EMC6=F8149 10EMC6</p> <p>Save to List Find Similar Products</p>	 <p>TERMINAL, BUDG R 16-14 6 32186</p> <p>Save to List Find Similar Products</p>