




# 368312-1 Product Details

[Share](#) [Print](#) [Email](#)**368312-1**

## Micro-Power & Power Quadlok System

Always EU RoHS/ELV Compliant (Statement of Compliance)

**Product Highlights:**

- Applies To Printed Circuit Board
- Connector
- Connector Assembly
- Connector Style = Header
- 3 Positions

[View all Features](#)**Quick Links**

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

TE Internal Number: 368312-1

Active

[View 3D PDF](#) [Add to My Part List](#)[Request Sample](#)[Find Similar Products](#)[Buy Product](#)

### Documentation & Additional Information

**Product Drawings:**

- [PIN HEADER ASS'Y, 3POS, MQS \(PDF, English\)](#)

**Catalog Pages/Data Sheets:**

- None Available

**Product Specifications:**

- None Available

**Application Specifications:**

- None Available

**Instruction Sheets:**

- None Available

**CAD Files: (CAD Format & Compression Information)**

- [2D Drawing \(DXF, Version A\)](#)
- [3D Model \(IGES, Version A\)](#)
- [3D Model \(STEP, Version A\)](#)

[List all Documents](#)**Additional Information:**

- [Product Line Information](#)

**Related Products:**

- [Tooling](#)

Feedback

### Product Features (Please use the Product Drawing for all design activity)

**Product Type Features:**

- [Product Type](#) = Connector
- Connector Type = Connector Assembly
- Sealed = No
- Mounting Holes = Without
- Mount Angle = Right Angle

**Termination Features:**

- Termination Method to PC Board = Through Hole - Solder

**Contact Features:**

- Contact Type = Tab
- Contact Style = MQS
- [Tab Contacts](#) = Without
- Number of MQS Contacts = 3
- 2.5mm Pin Diameter Contacts = Without
- [Contact Finish](#) = Tin
- Contact Base Material = Phosphor Bronze

**Housing Features:**

- Connector Style = Header
- Centerline (mm [in]) = 2.54 [0.100]
- Header Color = Black
- Housing Material = PBT - GF15

**Configuration Features:**

- [Number of Positions](#) = 3
- Fiber Optic Contacts = Without
- Staggered Centerline = Without

**Industry Standards:**

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 260°C, Wave solder capable to 240°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

**Conditions for Usage:**

- Applies To = Printed Circuit Board

**Other:**

- Brand = TE Connectivity

**Corporate Information**

[About TE](#)  
[Investors](#)  
[News Room](#)  
[Supplier Portal](#)  
[Careers](#)  
[Terms & Conditions](#)  
[Privacy Policy](#)  
[AODA Accessibility Policy](#)  
[AODA Multi-Year Accessibility Plan](#)

**Quick Links**

[Distributor Inventory](#)  
[Product Cross Reference](#)  
[Documents & Drawings](#)  
[Product Compliance Support Center](#)  
[Site Map](#)

**Customer Support**

[Email or Chat With Us](#)  
[Find a Phone Number](#)  
[Knowledge Base](#)  
[Manage Your Account](#)

**Keep Me Informed**