Our commitment. Your advantage.

Search

Products

Documentation

Resources

My Account

Customer Support

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Resistors</u> > <u>Product Feature Selector</u> > Product Details

CRG0402J3K3 Product Details



CRG0402J3K3 (4-1622826-1)

TE Internal Number: 4-1622826-1

Active

Fixed Resistors

<u>Converted to EU RoHS/ELV Compliant (Statement of Compliance)</u>

Product Highlights:

- Resistor Type = General Purpose Resistor
- Resistance Selection = K ?
- Resistance = 3.3K ?
- Power Rating = .063 W
- Tolerance = 5 %

View all Features









Live Product Chat

Quick Links

Check Pricing & Availability Search for Tooling <u>Product Feature Selector</u> Contact Us About This Product

Documentation & Additional Information

Product Drawings:

• THICK FILM CHIP RESISTORS SERIES CRG 0402 (PDF, English)

Catalog Pages/Data Sheets:

• Thick Film Precision Chip Resistors - Type CRG Serie... (PDF, English)

Product Specifications:

• None Available

Application Specifications:

None Available

Instruction Sheets:

None Available

CAD Files:

None Available

Additional Information:

• Product Line Information

Additional Product Images:

• Pad Layout

Related Products:

• <u>Tooling</u>

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Resistor Type = General Purpose Resistor
- <u>Resistance (?)</u> = 3.3K
- Element = Thick Film
- Termination Type = Solder

Electrical Characteristics:

- Resistance Selection (?) = K
- <u>Power Rating (W)</u> = 0.063
- <u>Tolerance (%)</u> = 5
- <u>Package Type</u> = Taped and Reeled

Body Related Features:

- <u>Series</u> = CRG
- Mount Style = Surface Mount
- Packaging Style = 0402
- Package, Component Size = 1.0×0.5

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Reflow solder capable to 245?C, Reflow solder capable to 260?C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

• Temperature Coefficient (ppm/?C) = ?200

Operation/Application:

• <u>Application</u> = Various

Other:

Brand = Neohm