

QUICK DISCONNECTS













TE Internal Number: 41290



Always EU RoHS/ELV Compliant

Terminal Style Tab

Mating Tab Width 6.35 mm [.25 in]

Mating Tab Thickness .81 mm [.032 in]

Plating Material Brass, Unplated

Disconnect Type Quick Connect



PRODUCT DRAWING



3D PDF

Product Drawings

.250 SERIES FASTON TAB

PDF **English**

CAD Files

3D PDF

PDF

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

Customer View Model

2D DXF.ZIP English

Catalog Pages/Data Sheets

FASTON Tabs

PDF **English**

Product Specifications

Application Specification

FASTON Series 187, 205, And 250 Stud Mount Tab Terminals

PDF English

Product Environmental Compliance

TE Material Declaration

MD_41290_11162015037_dmtec

PDF **English**

Product Type Features	Disconnect Type	Quick Connect
	FASTON	Yes
	Insulated Wire Support	No
	Applies To	Stud
Configuration Features	Paired	Yes
	Stud Hole	Yes
	Terminal Angle	90°
	Number of Pairs	1
	Connection Capacity	Multiple
Body Features	Plating Material	Brass, Unplated
Contact Features	Terminal Style	ТаЬ
Dimensions	Mating Tab Width	6.35 mm [.25 in]
	Mating Tab Thickness	.81 mm [.032 in]
	Stud Diameter	3.3 mm [.13 in]
Industry Standards	UL Rating	Recognized
	CSA Certified	Yes
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1000
Other	Comment	Dimple (both sides).
Product Compliance	Statement of Compliance	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE

