

RIBBON CONNECTOR ACCESSORIES



TE CONNECTIVITY (TE) 060 STRAIN RELIEF A-L RCPT AMP-LATCH | AMP-LATCH - NOVO

499252-7 TE Internal Number: 499252-7

Always EU RoHS/ELV Compliant

Accessory Type Strain Relief

✓ Active



J 3D PDF



Product Drawings	STRAIN RELIEF, RECEPTACLE CONNECTOR, FLAT CABLE, AMP-LATCH PDF English	
CAD Files	Customer View Model 2D_DXF.ZIP English	
	3D PDF PDF 3D	
	Customer View Model 3D_IGS.ZIP English	
	Customer View Model 3D_STP.ZIP English	
Catalog Pages/Data Sheets	g Pages/Data Sheets Ribbon Cable Interconnect Solutions PDF English	

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Accessory Type	Strain Relief
	Accessory Color	Black
	Product Type	Accessory
Body Features	Color	Black
	Body Material	Thermoplastic
Contact Features	Contact Mating Area Plating Material	Gold or Palladium Nickel or Performance Based
	Contact Transmits (Typical)	Signal (Data)
	Contact Base Material	Phosphor Bronze
Dimensions	Length	81.03 mm [3.1902 in]
	Width	6.1 mm [.2402 in]
	Height	14.76 mm [.581 in]
Operation/Application	For Use With	Receptacle Connector
Industry Standards	UL File Number	E28476
	Agency/Standard	CSA, UL
	UL Rating	Recognized
	CSA File Number	LR 7189
Packaging Features	Packaging Quantity	500
	Packaging Method	Bag/Box
Product Compliance	Statement of Compliance	

Product Compliance

Statement of Compliance PDF

VIEW ALL PRODUCT COMPLIANCE

