



CONNECTORS

RIBBON CONNECTOR ACCESSORIES



TE CONNECTIVITY (TE)

014 STRAIN RELIEF A-L RCPT

AMP-LATCH | AMP-LATCH - NOVO

499252-9

TE Internal Number: 499252-9

Always EU RoHS/ELV Compliant

Accessory Type **Strain Relief**

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**



Product Drawings

STRAIN RELIEF, RECEPTACLE CONNECTOR, FLAT CABLE, AMP-LATCH

PDF
English

CAD Files

Customer View Model

2D_DXF.ZIP
English

3D PDF

PDF
3D

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Catalog Pages/Data Sheets

Ribbon Cable Interconnect Solutions

PDF
English

Product Specifications

Product Environmental Compliance

TE Material Declaration

[MD_499252-9_04222014144_dmtec](#)PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Accessory Type	Strain Relief
	Accessory Color	Black
	Product Type	Accessory
Body Features	Color	Black
	Body Material	Thermoplastic
Contact Features	Contact Mating Area Plating Material	Gold or Palladium Nickel or Performance Based
	Contact Transmits (Typical)	Signal (Data)
	Contact Base Material	Phosphor Bronze
Dimensions	Length	22.61 mm [.8902 in]
	Width	6.1 mm [.2402 in]
	Height	14.76 mm [.581 in]
Operation/Application	For Use With	Receptacle Connector
Industry Standards	UL File Number	E28476
	Agency/Standard	CSA, UL
	UL Rating	Recognized
	CSA File Number	LR 7189
Packaging Features	Packaging Quantity	500
	Packaging Method	Bag/Box

Product Compliance

[Statement of Compliance](#)
PDF[VIEW ALL PRODUCT COMPLIANCE](#)

