



BOARD-TO-BOARD HEADERS & RECEPTACLES



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

0.8FH,R09H.5,080,08/Sn,TR,SC

0.8mm FH | .8mm FH

5-5179180-3

TE Internal Number: 5-5179180-3

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Centerline **.031 mm [.8 in]**

Stack Height (mm) **9, 10, 11, 12**

Stack Height (in) **.472**

Number of Positions **80**

Packaging Method **Tape & Reel**

Product Drawings

[REC ASSY 9H TYPE \(0.5 BOSS L\) FOR 0.8MM B-T-B CONN, ON TAPING](#)

PDF (TIFF AVAILABLE)
English

[REC ASSY 9H TYPE \(0.5 BOSS L\) FOR 0.8MM B-T-B CONN, ON TAPING](#)

PDF (TIFF AVAILABLE)
English

CAD Files

[3D PDF](#)

PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[Fine Pitch Stacking Connectors - 0.8mm Free Height \(FH\) Connectors](#)

PDF
English

Product Specifications

Product Specification

[Free Height 0.8 Mm Pitch Board-To-Board Connector \(SMT\)](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_5-5179180-3_12122015012_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	Board-to-Board Configuration	Mezzanine
	PCB Mounting Orientation	Vertical
	Row-to-Row Spacing	2.4 mm [.09432 in]
	Applies To	Printed Circuit Board
	Product Type	Connector
	Boss	With
	Series	Free Height

Configuration Features	Number of Positions	80
	Cover	With
	Preloaded	Yes
	Number of Rows	2
	Stackable	Yes

Electrical Characteristics	Insulation Resistance (VAC)	500
	Voltage (VAC)	100
	Dielectric Withstanding Voltage (VAC)	500

Body Features	Cover Material	Steel
	Cover Type	Vacuum Cover
	Sealant	Without

Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness (µm)	.2
	Contact Current Rating (A)	.5
	Contact Type	Pin
	Solder Tail Contact Plating Material	Tin over Nickel
	Contact Layout	Inline
	Solder Tail Contact Plating Material Finish	Matte
	Solder Tail Contact Plating Thickness	1 µm [39.37 µin]
	Contact Base Material	Beryllium Copper

Termination Features	Termination Method to PC Board	Surface Mount
----------------------	--------------------------------	----------------------

Mechanical Attachment	Mating Alignment Type	Polarized
	PCB Mount Retention	Without
	PCB Mount Retention Type	None
	PCB Mount Alignment Type	Positioning Bosses
	Locating Post Length (mm)	.5
	Locating Post Length (in)	.0196

Housing Features	Centerline	.031 mm [.8 in]
	Housing Material	LCP (Liquid Crystal Polymer)
	Housing Color	Natural
	Housing Entry Style	Top

Dimensions	Stack Height (mm)	9, 10, 11, 12
	Stack Height (in)	.472
	Height	9 mm [.35 in]

Usage Conditions	Operating Temperature Range	-40 – 85 °C [-40 – 185 °F]
------------------	-----------------------------	-------------------------------------

Operation/Application	Pick and Place Cover	With
	Assembly Process Feature	None

Industry Standards	UL Flammability Rating	UL 94V-0
--------------------	------------------------	-----------------

Packaging Features	Packaging Method	Tape & Reel
	Packaging Quantity	500

Product Compliance [Statement of Compliance PDF](#)
[VIEW ALL PRODUCT COMPLIANCE](#)

Products - 16 Results

[View All](#)

Compare 0/10



Relation Type



RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles
0.8mm FH | .8mm FH

**0.8FH, P05H.5, 080,
30/Sn, TU - 5084614-3**
TE INTERNAL NUMBER: 5084614-3

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.031 mm**

Stack Height **5 mm, 9 mm, 13 mm, 17 mm**

Number of Positions **80**

Packaging Method **Tube, Tube/Box**



RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles
0.8mm FH | .8mm FH

**0.8FH, P06H.5, 080,
08/Sn, TU, SC
- 2-5179230-3**
TE INTERNAL NUMBER: 2-5179230-3

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.031 mm**

Stack Height **6 mm, 10 mm, 14 mm, 18 mm**

Number of Positions **80**

Packaging Method **Tube, Tube/Box**



RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles
0.8mm FH | .8mm FH

**0.8FH, P07H.5, 080,
30/Sn, TU - 1-5179030-3**
TE INTERNAL NUMBER: 1-5179030-3

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.031 mm**

Stack Height **7 mm, 11 mm, 15 mm, 19 mm**

Number of Positions **80**

Packaging Method **Tube, Tube/Box**

