




# 99M1121-20-0/9-0 Product Details

[Share](#) | [Print](#) | [Email](#)


**99M1121-20-0/9-0**

TE Internal Number: 5071213001

Active

## Spec 99 and Spec 100 Wire and Cable

Always EU RoHS/ELV Compliant (Statement of Compliance)

### Product Highlights:

- Cable Type = Spec 99M
- Cable Style = Jacketed, Round-Braid Shielded
- Wire Size (AWG or Metric) = 20 AWG [0.62<sup>2</sup>]
- Number of Conductors = Twisted Pair
- Equipment Wire Application

[View all Features](#)

### Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#)
[Request Sample](#)
[Find Similar Products](#)
[Buy Product](#)

Documentation & Additional Information	
<p><b>Product Drawings:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Catalog Pages/Data Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Product Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Application Specifications:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>Instruction Sheets:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul> <p><b>CAD Files:</b></p> <ul style="list-style-type: none"> <li>• None Available</li> </ul>	<p><b>Related Products:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">Tooling</a></li> </ul>

Feedback

Product Features (Please use the Product Drawing for all design activity)	
<p><b>Product Type Features:</b></p> <ul style="list-style-type: none"> <li>• Cable Type = Spec 99M</li> <li>• Cable Style = Jacketed, Round-Braid Shielded</li> </ul> <p><b>Electrical Characteristics:</b></p> <ul style="list-style-type: none"> <li>• Wire Size (AWG or Metric) = 20 AWG [0.62<sup>2</sup>]</li> <li>• Voltage Rating (VAC) = 600</li> </ul> <p><b>Dimensions:</b></p> <ul style="list-style-type: none"> <li>• Conductor Outer Diameter (mm [in]) = 1.01 [0.040]</li> <li>• Shield (Screen) Diameter (mm [in]) = 3.25 [0.128]</li> </ul> <p><b>Body Features:</b></p> <ul style="list-style-type: none"> <li>• Wire Color = Black, White</li> <li>• Nominal Outside Diameter (mm [in]) = 3.84 [0.151]</li> <li>• Wire Diameter (mm [in]) = 1.30 [0.051]</li> <li>• Cable Jacket Color = Black</li> <li>• Conductor Type = Tin-Plated Copper</li> </ul>	<p><b>Configuration Features:</b></p> <ul style="list-style-type: none"> <li>• Number of Conductors = Twisted Pair</li> </ul> <p><b>Industry Standards:</b></p> <ul style="list-style-type: none"> <li>• <a href="#">RoHS/ELV Compliance</a> = RoHS compliant, ELV compliant</li> <li>• <a href="#">Lead Free Solder Processes</a> = Not relevant for lead free process</li> <li>• RoHS/ELV Compliance History = Always was RoHS compliant</li> </ul> <p><b>Conditions for Usage:</b></p> <ul style="list-style-type: none"> <li>• Wire Size - Details = 20 AWG 0.62 mm<sup>2</sup>, 0.00095 in<sup>2</sup>, 19 x 32 AWG</li> <li>• Temperature Range (°C) = -55 - +125</li> </ul> <p><b>Operation/Application:</b></p> <ul style="list-style-type: none"> <li>• Application = Equipment Wire</li> </ul> <p><b>Packaging Features:</b></p> <ul style="list-style-type: none"> <li>• Wire Source = United Kingdom</li> </ul> <p><b>Other:</b></p> <ul style="list-style-type: none"> <li>• Brand = Raychem</li> </ul>

