



BOARD-TO-BOARD HEADERS & RECEPTACLES



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)
0.8FH,R13H.5,060,08/Sn,TR,SC
0.8mm FH | .8mm FH

5084616-2
TE Internal Number: 5084616-2

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Centerline **.031 mm [.8 in]**

Stack Height (mm) **13, 14, 15, 16**

Stack Height (in) **.63**

Number of Positions **60**

Packaging Method **Reel**

Product Drawings

[RECEPTACLE ASSY 13H TYPE \(0.5 BOSS LENGTH\) FOR FH 0.8MM B-T-B CONN. ON TAPING](#)

PDF (TIFF AVAILABLE)
English

[RECEPTACLE ASSY 13H TYPE \(0.5 BOSS LENGTH\) FOR FH 0.8MM B-T-B CONN. ON TAPING](#)

PDF (TIFF AVAILABLE)
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[Fine Pitch Stacking Connectors - 0.8mm Free Height \(FH\) Connectors](#)

PDF
English

Product Specifications

Product Specification

[Free Height 0.8 Mm Pitch Board-To-Board Connector \(SMT\)](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_5084616-2_1109201504_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	Board-to-Board Configuration	Mezzanine
	PCB Mounting Orientation	Vertical
	Row-to-Row Spacing	2.4 mm [.09432 in]
	Applies To	Printed Circuit Board
	Product Type	Connector
	Boss	With
	Series	Free Height

Configuration Features	Number of Positions	60
	Cover	With
	Preloaded	Yes
	Number of Rows	2
	Stackable	Yes

Electrical Characteristics	Insulation Resistance (VAC)	500
	Voltage (VAC)	100
	Dielectric Withstanding Voltage (VAC)	500

Body Features	Cover Material	Steel
	Cover Type	Vacuum Cover
	Sealant	Without

Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness	8 μm [8 μin]
	Contact Shape	Square
	Contact Current Rating (A)	.5
	Contact Type	Socket
	Solder Tail Contact Plating Material	Tin over Nickel
	Contact Layout	Inline
	Solder Tail Contact Plating Material Finish	Matte
	Solder Tail Contact Plating Thickness	2 μm [78.74 μin]
	Contact Base Material	Copper Alloy

Termination Features	Termination Method to PC Board	Surface Mount
Mechanical Attachment	Mating Alignment Type	Polarized
	PCB Mount Retention	Without
	PCB Mount Retention Type	None
	PCB Mount Alignment Type	Positioning Bosses
	Locating Post Length (mm)	.5
	Locating Post Length (in)	.0196
Housing Features	Centerline	.031 mm [.8 in]
	Housing Material	LCP (Liquid Crystal Polymer)
	Housing Color	Natural
	Housing Entry Style	Top
Dimensions	Stack Height (mm)	13, 14, 15, 16
	Stack Height (in)	.63
	Height	13 mm [.512 in]
Usage Conditions	Operating Temperature Range	-40 – 85 °C [-40 – 185 °F]
Operation/Application	Pick and Place Cover	Without
	Assembly Process Feature	None
	For Use With	Plug Assembly
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Reel
	Packaging Quantity	200
Product Compliance	<p>Statement of Compliance PDF</p> <p>VIEW ALL PRODUCT COMPLIANCE</p>	








CUSTOMERS ALSO BOUGHT

[RJ45 CONNECTORS](#)

[BOARD-TO-BOARD HEADERS
& RECEPTACLES](#)

[MCX CONNECTORS](#)

[RECTANGULAR POWER
CONNECTORS](#)

<p>MJ, LPF, R/A, 8P, SHLD, PNL STP, HTN 5406429-1</p> <p> Save to List</p> <p> Find Similar Products</p>	 <p>0.8FH, R13H.5, 060, 08/Sn, TU 5-5179010-2</p> <p> Save to List</p> <p> Find Similar Products</p>	<p>50 OHM MCX CABLE PLUG (NICKEL) 1060875-1</p> <p> Save to List</p> <p> Find Similar Products</p>	<p>08P MICRO MNL ASSY, VRT, THRU LF 3-794680-8</p> <p> Save to List</p> <p> Find Similar Products</p>
--	--	--	---

Products - 14 Results

[View All](#)

[Compare 0/10](#)


Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)


	<p>PRODUCT - MATING PRODUCTS</p> <p>Connectors - Board-to-Board Headers & Receptacles 0.8mm FH .8mm FH</p> <p>0.8FH, P08H.5, 060, 30/Sn, TR, SC - 6123001-2 TE INTERNAL NUMBER: 6123001-2</p> <p>✓ Active</p> <p>Always EU RoHS/ELV Compliant</p> <p>Connector Style Plug</p> <p>Centerline .031 mm</p> <p>Stack Height 8 mm, 12 mm, 16 mm, 20 mm</p> <p>Number of Positions 60</p> <p>Packaging Method Tape & Reel</p>
--	---

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

	<p>PRODUCT - MATING PRODUCTS</p> <p>Connectors - Board-to-Board Headers & Receptacles 0.8mm FH .8mm FH</p> <p>0.8FH, P07H.5, 060, 08/Sn, TR, SC - 2-5177986-2 TE INTERNAL NUMBER: 2-5177986-2</p> <p>✓ Active</p> <p>Always EU RoHS/ELV Compliant</p> <p>Connector Style Plug</p> <p>Centerline .031 mm</p> <p>Stack Height 7 mm, 11 mm, 15 mm, 19 mm</p> <p>Number of Positions 60</p> <p>Packaging Method Tape & Reel</p>
---	---

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Board-to-Board Headers & Receptacles

0.8mm FH | .8mm FH

**0.8FH, P08H.5, 060,
08/Sn, TU - 5179031-2**

TE INTERNAL NUMBER: 5179031-2

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.031 mm**

Stack Height **8 mm, 12 mm, 16 mm, 20 mm**

Number of Positions **60**

Packaging Method **Tube, Tube/Box**

