



CRIMP D-SUB CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

CRIMP SNAP PLUG ASSY, 25 POS

AMPLIMITE | Crimp Snap

5205208-1

TE Internal Number: 5205208-1
Alias ID: 2-30124-1025

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Number of Positions **25**

Contact Size **20**

Shell Size **3**

Mating Connector Lock **With**

Product Drawings

[PLUG CONNECTOR, SIZE 3, 25 POS., AMPLIMITE HDP](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)

PDF
English

Product Specifications

Product Specification

[AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts](#)

PDF
English

Application Specification

[AMPLIMITE HDP-20 And Economy Crimp Snap Subminiature D Commercial Connectors](#)

PDF
English

Qualification Test Report

[AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_5205208-1_12202013627_dmtec](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

AMPLIMITE High Density (HDP-20) Connectors With Crimp-Type Contacts
PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Plug
	Shell Size	3
	Shell Type	Full Metal Shell
	Product Type	Connector
	Grade	Standard
	Grounding Indents	Without

Configuration Features	Number of Positions	25
------------------------	---------------------	-----------

Body Features	Insert Material	Glass Filled PBT/Nylon
	Shell Material	Steel
	Shell Plating Material	Zinc

Contact Features	Contact Size	20
------------------	--------------	-----------

Mechanical Attachment	Mating Connector Lock	With
	Mating Connector Lock Type	Mounting Holes

Industry Standards	UL Flammability Rating	UL 94V-0
	Insert Flammability Rating	UL 94V-0

Packaging Features	Packaging Method	Package
	Packaging Quantity	400

Other	Comment	Plugs accept size 20 DF pin contacts.
-------	---------	--

Product Compliance [Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap

HDP-20, RCPT, SIZE 3, 25 POSN, CL - 207516-5

TE INTERNAL NUMBER: 207516-5
ALIAS ID: 4-27033-1630

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **25**

Contact Size **20**

Shell Size **3**

Mating Connector Lock **With**



RELATIONSHIP

Plug Kits

Used to identify Plug Kits

[See All Plug Kits](#)

PRODUCT - PLUG KITS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap

KIT, HDP-20, OVRMLD, PLUG, SIZE 3, - 1658648-1

TE INTERNAL NUMBER: 1658648-1

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Number of Positions **25**

Contact Size **20**

Shell Size **3**

Mating Connector Lock **With**



RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap

CRIMP SNAP RCPT ASSY, SZ 3 - 207463-1

TE INTERNAL NUMBER: 207463-1
ALIAS ID: 2-42934-5728

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **25**

Contact Size **20**

Shell Size **3**

Mating Connector Lock **With**

