



CRIMP RINGS & SPADES



✓ Active

[↓](#) **PRODUCT DRAWING**
English

[↓](#) **3D PDF**

TE CONNECTIVITY (TE)

TERMINAL,PIDG R IR 20 4

PIDG

52273-1

TE Internal Number: 52273-1

Mil-Spec: M7928/1-20

[Always EU RoHS/ELV Compliant](#)

Terminal Shape **Ring Tongue**

Stud Diameter **2.84 mm [.112 in]**

Tongue Thickness **.84 mm [.033 in]**

Sealed **No**

Heavy Duty **No**

Product Drawings

[TERMINAL, RING TONGUE, PIDG, INSULATION RESTRICTING, WIRE SIZE: 22-16 AWG](#)

PDF
English

CAD Files

[3D PDF](#)

PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Product Specifications

Application Specification

[Pre-Insulated Diamond Grip \(PIDG\) Terminals, Splices, And End Caps](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_52273-1_05022015537_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Restriction
	Stud Size	4, M2.5
	Shape Code	RING-042
	Barrel Style	Standard
	Wire/Cable Composition	Solid or Stranded
Configuration Features	Terminal Angle	Straight
	Number of Holes	1
Electrical Characteristics	Voltage (Max) (V)	300
Body Features	Plating Material	Copper, Tin
	Insulation Sleeve Material	Nylon
	Insulation Sleeve Color	Red
	Insulation Material	Nylon
	Inspection Slot	No
	Stripe Color	Red
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
	Class	1 & 2
Dimensions	Stud Diameter	2.84 mm [.112 in]
	Tongue Thickness	.84 mm [.033 in]
	Wire Insulation Diameter (Max) (in)	.46
	Wire Insulation Diameter	1.17 – 2.79 mm [.046 – .11 in]
	Wire Size (AWG)	20
	Wire Size (mm²)	.5 – .6
	Wire Size (CMA)	1186
	Overall Length (in)	.734
Operation/Application	Heavy Duty	No

Industry Standards	Government Qualified	Yes
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1000
Other	Barrel Color	Red
Product Compliance	Statement of Compliance PDF	
	VIEW ALL PRODUCT COMPLIANCE	