




CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

PIDG SP SPD 22-16COMM22-18MIL8

[PIDG](#) | [PIDG](#)

52410-1

TE Internal Number: 52410-1

Always EU RoHS/ELV Compliant

Terminal Shape **Spring Spade**

Stud Diameter **4.17 mm [.164 in]**

Tongue Thickness **.84 mm [.033 in]**

Sealed **No**

Heavy Duty **No**

Product Drawings

[TERMINAL, SPRING SPADE PIDG, WIRE SIZE 22-16](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Product Environmental Compliance

TE Material Declaration

[PIDG SP SPD 22-16COMM22-18MIL8](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealed	No
Barrel Type	Closed Barrel
Wire/Cable Type	Regular Wire
Insulated	Yes
Insulated Wire Support	Yes

	Support Style	Insulation Support
	Stud Size	8, M4
	Shape Code	SPADE-031
	Barrel Style	Standard
	Wire/Cable Composition	Solid or Stranded
Configuration Features	Terminal Angle	Straight
Electrical Characteristics	Voltage (Max) (V)	300
Body Features	Plating Material	Phosphor Bronze, Tin
	Insulation Sleeve Material	Nylon
	Insulation Sleeve Color	Red
	Insulation Material	Nylon
	Body Style	Long
	Inspection Slot	No
Contact Features	Terminal Shape	Spring Spade
	Terminal Orientation	Straight
Dimensions	Stud Diameter	4.17 mm [.164 in]
	Tongue Thickness	.84 mm [.033 in]
	Wire Insulation Diameter (Max) (in)	.125
	Wire Insulation Diameter	2.03 – 3.18 mm [.08 – .125 in]
	Wire Size (AWG)	22 – 16
	Wire Size (mm ²)	.3 – 1.42
	Wire Size (CMA)	509 – 3260
	Barrel Inside Diameter (in)	.128
	Overall Length (in)	.979
Operation/Application	Heavy Duty	No
Industry Standards	Government Qualified	No
Packaging Features	Packaging Method	Tape Mounted
	Packaging Quantity	5000

Other

Barrel Color

Red













Product Compliance

[Statement of Compliance](#)

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

CRIMP RINGS & SPADES	BREAKOUTS/TRANSITIONS	CRIMP RINGS & SPADES	CRIMP RINGS & SPADES
			
<p>RING IS 16-14 .323 .030TPBR 42752-2</p>	<p>381A301-71/86-0 381A301-71/86-0</p>	<p>RING IS 16-14 .257 .030TPBR 42751-2</p>	<p>PIDG R 22-16COMM 22- 18MIL 5/16 2-320572-1</p>
<p> Save to List</p> <p> Find Similar Products</p>	<p> Save to List</p> <p> Find Similar Products</p>	<p> Save to List</p> <p> Find Similar Products</p>	<p> Save to List</p> <p> Find Similar Products</p>