

## **CRIMP RINGS & SPADES**





✓ Active



PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)

SOLIS SP SPD 22-16COM22-18MIL4 SOLISTRAND

53175-1

TE Internal Number: 53175-1

Always EU RoHS/ELV Compliant

Terminal Shape Spring Spade

Stud Diameter 2.84 mm [ .112 in ]

Tongue Thickness .79 mm [ .031 in ]

Sealed No

Heavy Duty No

**Product Drawings** 

TERMINAL, SHORTSPRING SPADE, SOLISTRAND(TM)

PDF (TIFF AVAILABLE)

English

TERMINAL, SHORTSPRING SPADE, SOLISTRAND(TM)

PDF (TIFF AVAILABLE)

English

**CAD Files** 

**Customer View Model** 

3D\_IGS.ZIP English

**Customer View Model** 

3D\_STP.ZIP English

**Customer View Model** 

2D\_DXF.ZIP English

3D PDF PDF English

Product Environmental Compliance

TE Material Declaration

MD\_53175-1\_10282015741\_dmtec

PDF **English** 

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

**Product Type Features** 

Sealed

No

Barrel Type

Closed Barrel

Wire/Cable Type

Regular Wire

	Insulated	No
	Insulated Wire Support	No
	Stud Size	4, M2.5
	Shape Code	SPADE-030
	Wire/Cable Composition	Solid or Stranded
Body Features	Plating Material	Tin
	Body Style	Short
Contact Features	Terminal Shape	Spring Spade
	Terminal Orientation	Straight
Dimensions	Stud Diameter	2.84 mm [ .112 in ]
	Tongue Thickness	.79 mm [ .031 in ]
	Wire Size (AWG)	22
	Wire Size (mm²)	.3 – 1.42
	Wire Size (CMA)	509 – 3260
	Barrel Inside Diameter	3.58 mm [ .141 in ]
	Material Thickness	.84 mm [ .033 in ]
	Overall Length	14.63 mm [ .576 in ]
	Barrel Inside Diameter (Min)	1.55 mm [ .061 in ]
Usage Conditions	Operating Temperature Range (°C)	170
Operation/Application	Heavy Duty	No
Industry Standards	Government Qualified	No
Packaging Features	Packaging Method	Loose Piece
Product Compliance	Statement of Compliance	

## **CUSTOMERS ALSO BOUGHT**

CRIMP RINGS & SPADES CRIMP RINGS & SPADES BARRIER STRIPS

VIEW ALL PRODUCT COMPLIANCE

